DIRECTIONS FOR USE

This is a concentrated insecticide and must be diluted for use. Each gallon of concentrate contains 5 pounds of Malathion. Mix by adding to water in spray tank with pump and agitator running.

AC

Under

Fungic

as am

registe

EPA R

FLIES-To control flies around animal pens, coops, barns and around homes, mix $\frac{1}{2}$ cup concentrate per gallon of water. (2 gallons to 100 gallons.) Apply to thoroughly wet surfaces where flies light or congregate, such as walls, ceilings, stanchions, floors, windows in dairy barns, fences, around garbage cans, etc. For bait spray add ¹/₂ cup sugar or ¹/₃ cup corn syrup or unsulfurized molasses per gallon of above solution. Apply as above or as a spot treatment. For fly maggots in manure, apply bait spray by drenching over surface of manure. In loafing sheds, spray the dry bedding within 18 inches of walls and upright bracings. Do not use in milk rooms. Remove animals from buildings before treating.

Not for use in poultry houses.

Do not use in dwellings.

In conjunction with the malathion treatments in and around dairy barns and other agricultural premises, fly breeding sites such as manure and other waste material, should be eliminated.

DOGS AND CATS-For the control of fleas on dogs and cats, apply a spray containing 2 tbs. of malathion 57% emulsifiable liquid per 1 gallon of water. Wet thoroughly by means of a hand sprayer. Do not spray directly on dogs or cats.

Do not treat animals under 1 month of age.

1 GALLON QUALITY TESTED 4 1975 leral Insecticide, Rodenticide Act. or the pesticide TRIANGLE **57% MALATHION** PREMIUM GRADE **EMULSIFIABLE CONCENTRATE ACTIVE INGREDIENTS** 100% (*O,O-dimethyl dithiophosphate of diethyl

mercaptosuccinate)

CAUTION: Keep Out of Reach of Children

See Additional Caution in Side Panel.

MANUFACTURED BY TRIANGLE CHEMICAL CO. MACON GEORGIA

Net Centest

EPA Reg. No. 1842-132 EPA Est. No. 1842-Ga. 1

If the animal has free run, treatments may have to be made every second or third week. To avoid unnecessary applications, animal should be closely examined for fleas before re-treating. If the animal is confined to an area free of fleas, one treatment may be sufficient.

FLEAS IN ANIMAL QUARTERS-For the control of fleas in dog and cat kennels, in pens, yards, lawns, and under houses, use a spray containing 2/3 cup of 57% emulsifiable liquid per 1 gallon of water at the rate of 1 gallon per 1,000 square feet.

Use a garden sprayer. Remove manure or debris before spraying.

ORNAMENTALS-For control of Aphids, Spider Mites, White Fly, Mealy Bugs, Thrips, Japanese Beetle Adult, Four Lined Leaf Bug, Tarnished Plant Bug, Rose Leafhopper and Potato Leafhopper on ornamentals apply 2 pints in 100 gallons of water; 2 tsp. per gallon. Make thorough full coverage sprays with repeated applications as needed. Injury may occur on certain ferns, including Boston. Maidenhair and Peteris as well as some species of Crassola.

CAUTIONS

Use only as directed. Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after using. Avoid contamination of feed and food stuffs. Keep out of reach of children and domestic animals. Malathion, upon repeated use, may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. ATROPINE is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or diseard in a safe place away from water supplies.

Notice Of Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foresceable to the seller, and buyer assumes the risk of any such use.

I A N G L E MALATHION PREMIUM GRADE ABLE CONCENTRATE IGREDIENTS

*	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	5	79	0/	D
• •																					
REDIENTS									•	•	•	•	•	•	•	•	0	5	0/()	
																·	1	0	0	0/)

yl dithiophosphate of diethyl nercaptosuccinate)

Keep Out of Reach of Children

itional Caution in Side Panel.

EPA Reg. No. 1842-132 EPA Est. No. 1842-Ga. 1

MANUFACTURED BY IANGLE CHEMICAL CO. MACON GEORGIA Use on swallowed breathing clothing. after usin food stuff domestic use, may poisoning NOTE TO cholinest antidotal.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

Notice Of Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

ł

Tarnished Plant Bug, Rose Leafhopper and Potato Leafhopper on ornamentals apply 2 pints in 100 gallons of water; 2 tsp. per gallon Make thorough full coverage sprays with repeated applications as needed. Injury may occur on certain ferns, including Boston. Maidenhair and Peteris as well as some species of Crassola.

CAUTIONS

Use only as directed. Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after using. Avoid contamination of feed and food stuffs. Keep out of reach of children and domestic animals. Malathion, upon repeated use, may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. ATROPINE is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

