

MIXING DIRECTIONS

Mix Triangle Aldrin Emulsible Concentrate with water by agitation; agitate the mixture while spraying. If allowed to stand, reagituate before use.

TERMITE CONTROL: SPECIFIC DIRECTIONS FOR COMMERCIAL OPERATORS

To control termites add 1 gallon Triangle Aldrin-4 Emulsible Concentrate (4 lbs. per gal.) to 95 gallons of water (0.5% Emulsion). Apply the resulting emulsion at the following rates:

(A) Buildings with crawl spaces

(1) Apply 2 gallons per 5 linear feet to critical areas only under the house, such as along the outside of foundation walls, around piers, sewer pipes, conduits, etc. Trench according to directions in part (2) below.

(2) Along the outside of foundation walls, dig a narrow trench, such trench to be dug no deeper than the top of the footings. If the trench is less than 15 inches in depth to the top of the footings, apply 1 gallon per 5 linear feet. Replace the soil and apply another 1 gallon per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. If the trench is more than 15 inches in depth to the top of the footings, apply 2 gallons per 5 linear feet. Replace the soil and apply another 2 gallons per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. A trench 30 inches deep is a maximum depth required alongside those foundations where the top of the footings is greater than 30 inches deep. In lieu of trenching to a 30" depth, make the trench 12 to 15" deep and rod to footing, spacing the holes about 1 foot apart.

(3) Apply 1 gallon per 10 square feet of soil surface under porches, entrance platforms, utility entrances, and similar situations where slab or fill is at the grade level. Where crawl spaces exist, treat as described in part (1) above.

(4) Treat all voids in hollow masonry units of the foundation at the rate of at least 1 gallon per 5 linear feet of wall. It is best to apply the chemical near the footing.

B. Buildings With Concrete Slab on the Ground—Pre Construction

(1) Apply 1 gallon per 10 square feet as an over-all treatment under the slab as well as under attached porches, entrance platforms, utility entrances and similar situations where slab or fill is at grade level. In case of washed gravel, cinders, or similar coarse material, increase the dosage by at least one-half.

(2) Apply 2 gallons per 5 linear feet to critical areas only under the slab, such as along the inside of foundation walls, around sewer pipes, conduits, etc. Trench as in part (3) below.

(3) Along the outside of foundation walls, dig a narrow trench no deeper than the top of the footings, but no deeper than 15 inches, unless the footing is much deeper in some places on account of the slope of the land, then treat as under (A)(2).

(4) Treat all voids in hollow masonry units of the foundation at the rate of at least 1 gallon per 5 linear feet of wall. It is best to apply the chemical near the footings.

(C) Buildings With Basements

(1) Apply 1 gallon per 10 square feet as an over-all treatment under the basement flooring, as well as under attached porches, entrance platforms, utility entrances, and similar

TRIANGLE

CHEMICALS

Net Contents

1 GALLON

QUALITY TESTED

ALDRIN-4 E. C. For Termite Control

ACTIVE INGREDIENTS:

*Aldrin
Petroleum hydrocarbons
INERT INGREDIENTS

*Equivalent to 40.7% Hexachlorohexahydro-Endo,
Exo-Dimethanonaphthalene and 2.2% related compound.

B. Weight

40.9%
49.1%
2.0%

100.0%

WARNING

Keep Out of Reach of Children

See Additional Warning in Right Panel

MANUFACTURED BY
TRIANGLE CHEMICAL CO.
MACON, GEORGIA

situations where slab fill is at the grade level. In cases of washed gravel, cinders, or similar coarse material, increase the dosage by at least one-half. Where crawl spaces exist, treat as described in part (2) below.

(2) Apply 2 gallons per 5 linear feet to critical areas only under the basement floorings, as well as porches and entrances having crawl spaces, such as along the inside of foundation walls, around sewer pipes, conduits, piers, etc. Trench according to directions in part (3) below.

(3) Along the outside of foundation walls, dig a narrow trench, such trench to be dug no deeper than the top of the footings. If the trench is less than 15 inches in depth to the top of the footings, apply 1 gallon per 5 linear feet. Replace the soil and apply another 1 gallon per 5 linear feet to the back fill. Cover the backfill with a thin layer of soil. If the trench is more than 15 inches in depth to the top of the footings, apply 2 gallons per 5 linear feet. Replace the soil and apply another 2 gallons per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. A trench 30 inches deep is a maximum depth required alongside foundations where the top of the footings is greater than 30 inches deep. In lieu of trenching to a 30" depth, make the trench 12 to 15" deep and rod to footing, spacing the holes about 1 foot apart.

(4) Treat all voids in hollow masonry units of the foundation at the rate of 1 gallon per 5 linear feet of wall. It is best to apply the chemical near the footing.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material. During commercial, or prolonged exposure in spraying and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Department of Agriculture for Aldrin protection. Use this product only for recommended purpose and at recommended dosages.

WARNING

HAZARDOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. In case of accidental spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Keep away from heat and open flame.

WARRANTY

Because conditions of use which are of critical importance are beyond our control, Triangle Chemical Company makes no warranty or representation, expressed or implied, except that all products conform to the chemical description on the label.

USDA Reg. No. 1842-134