

ACCEPTED

MAY 16 1967

ATTACH COMMENTS

DIRECTIONS FOR USE

Note Cautions and read directions carefully before using.

Cucumbers, Melons, Pumpkins and Squash. For ids, thrips, spider mites, beer leafhoppers, leaf-miners, cucumber beetles and pickle worms apply 15 to 35 pounds per acre when insects are first noted and repeat at one week intervals as needed.

For downy mildew and other leaf diseases, commence spraying with Bordeaux mixture as soon as plants appear above ground, or when trouble threatens. Apply 2 to 3 pounds per acre at 7 to 10 day intervals. Under some conditions, 4 or 5 intervals may be necessary.

It does appear that the value of
harvest

Do not apply to members
before voting

It is not clear whether the results of this study are generalizable to other populations. The study was conducted in a single, urban, tertiary care hospital in the United States. The study population was predominantly African American and had a high prevalence of hypertension and diabetes. The study was limited by its retrospective design and the lack of a control group. The study was limited by its retrospective design and the lack of a control group.

DANGER

1.0% 2,4,6-tri- <i>n</i> -butyl- <i>O</i> , <i>p</i> -nitrophenylthiophosphate	1.0	g
1.0% 2,4,6-tri- <i>n</i> -butyl- <i>O</i> , <i>p</i> -nitrophenylthiocarbamate	6.0	g
NEUTRALIZANTS	93.0	g

DANGER Keep out of reach of children

**Do Not Get On Skin
On Clothing Or In Eyes**

Wear heavy natural rubber gloves and clean waterproof or freshly laundered protective clothing (coveralls, cap, etc.) and goggles. Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before sinking or eating. Bathe immediately after work and change all clothing. Wash clothing thoroughly in soap and water before re-use. In case of contact immediately remove contaminated clothing and wash thoroughly with soap and warm water.

Do Not Breathe Dust, Vapor
Or Spray Mist

[illegible]

**Do Not Contaminate Food
Or Feed Products**

Bury spillage. Clean up area with strong
bleach solution. Burn or bury containers.
Never re-use. Stay out of smoke or fumes.

Physicians Note

Warning symptoms include weakness, heartaches, tightness in chest, blurred vision, non-reactive pin-point pupils, salivating, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine in large doses to produce full atropinization. Artificial respiration, if necessary,

REMARKS:

regarding the exposure of the population to the risk of infection. The authors conclude that the results of the present study are in agreement with the epidemiological data on the prevalence of *C. parvum* in dairy cattle and sheep in the north of Spain. The authors also conclude that the results of the present study are in agreement with the epidemiological data on the prevalence of *C. parvum* in dairy cattle and sheep in the north of Spain.



Atropine is an antidote. Consult physician for emergency supply.

Antidote

Call a physician at once in all cases of suspected ~~Parathion~~ Parathion poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, don't wait for a doctor but give two capsules (each reach 100 grains) of sodium bicarbonate immediately from area where ~~Parathion~~ Parathion is present. Remove and isolate contaminated clothing and wash thoroughly with plenty of soap and water. If you observe traces of ~~Parathion~~ Parathion on the skin, wash the area by rubbing with plenty of soapy water. Repeat.

Notice Of Withdrawal

[illegible]

7.3.11.A. Exg. 4

• Manufactured by

TRIANGLE CHEMICAL COMPANY

Macon, Ga.