

1072)



# TRIANGLE

CHEMICALS

Net Contents  
1 GALLON

QUALITY TESTED

8-10-71

UNDER THE FEDERAL INSECTICIDE  
ACT AND THE FEDERAL FOOD, DRUG,  
AND COSMETIC ACT, THIS PRODUCT IS  
REGISTERED UNDER E.P.A. REGISTRATION  
NUMBER 1842-182

*with comments*

## RANGE SPRAY FOR BEEF CATTLE

For control of Horn fly, Stable fly, Lonesta Tick, Ear tick, Cattle  
lice, Mosquitoes, Fleas, Goat lice and Roaches.

### ACTIVE INGREDIENTS:

*Toxaphene	43.0%
**Malathion	4.3%
Xylene	47.7%
INERT INGREDIENTS	5.0%

100.0%

- \*Tech. Chlorinated camphene 67%-69% Chlorine
- \*\*O, O-dimethyl dithiophosphate of diethylmercaptosuccinate

**WARNING: Keep Out of Reach of Children.**  
**See Additional Warnings - Side Panel**

MANUFACTURED BY  
**TRIANGLE CHEMICAL CO.**  
MACON GEORGIA

242)



REGISTERED  
8-10-71  
1842-182

with  
Comments

**ON CATTLE AND HORSES**—To control Horn flies, Cattle lice, Ear ticks, and Winter tick, mix one gallon of Triangle Range Spray to 100 gallons of water and agitate to form a creamy emulsion. Wet all portions of the skin thoroughly. Approximately two quarts of mixed spray are required for a full grown horse or cow, and proportionately less for smaller animals. Be sure not to overdose young animals.

**ON GOATS**—To control Goat lice mix one gallon of Triangle Range Spray with 200 to 400 gallons of water; mix well and spray animals thoroughly. Do not treat goats intended for meat.

**FOR USE ON BURLAP SACKS OR CHAIN BACK RUBBERS AS AN AID IN CONTROLLING HORN FLIES AND LICE ON BEEF CATTLE**—Dilute one gallon of Triangle Range Spray with 9 gallons of fuel oil or other suitable carrier and fill insecticide compartment of back rubber device or soak sacks. Refill or repeat soaking as necessary. Place back rubber device where animals feed, water, travel regularly or loaf. Do not use around animals under 6 months old and do not allow dairy animals to use the back rubbers. Do not use on beef animals with spray or back rubber within 4 weeks of slaughter. Do not spray animals directly with this dilution in oil.

**AS A PREMISE SPRAY FOR BARNYARD AND BUILDINGS**—To kill fleas, mosquitoes, roaches, stable flies around barns, barnyards and outbuildings, dilute one gallon

**WARNING**

KEEP OUT OF REACH OF CHILDREN

*See Additional Warnings Below*

of Triangle Range Spray with 20 gallons of water. Thoroughly spray all surfaces, walls, ceilings, cracks and crevices where insects alight or crawl. For fleas, thoroughly treat places where animals sleep. Repeat applications as necessary for effective season-long control. Do not treat pets or domestic animals with this mixture. Do not use in dwellings.

**CAUTION**

As a general precaution in spraying animals, avoid treating during cold, stormy weather, avoid treating overheated or sick animals. Do not treat animals less than 1 year old. Water animals before dipping to prevent them from drinking the dip.

**WARNING**

May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly. Do not apply in dairy barns or to dairy animals. Avoid contamination of feed and foodstuffs. Do not use around poultry, dogs or fish. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material. Do not use on animals within 30 days of slaughter.

Do not reuse container. Destroy safely when empty.

**WARRANTY**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

**FOR USE ON BURLAP SACKS OR CHAIN BACK RUBBERS AS AN AID IN CONTROLLING HORN FLIES AND LICE ON BEEF CATTLE**—Dilute one gallon of Triangle Range Spray with 9 gallons of fuel oil or other suitable carrier and fill insecticide compartment of back rubber device or soak sacks. Refill or repeat soaking as necessary. Place back rubber device where animals feed, water, travel regularly or loaf. Do not use around animals under 6 months old and do not allow dairy animals to use the back rubbers. Do not use on beef animals with spray or back rubber within 4 weeks of slaughter. Do not spray animals directly with this dilution in oil.

**AS A PREMISE SPRAY FOR BARN-YARD AND BUILDINGS**—To kill fleas, mosquitoes, roaches, stable flies around barns, barnyards and outbuildings, dilute one gallon

animals before dipping to prevent them from drinking the dip.

## **WARNING**

May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly. Do not apply in dairy barns or to dairy animals. Avoid contamination of feed and foodstuffs. Do not use around poultry, dogs or fish. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material. Do not use on animals within 30 days of slaughter.

Do not reuse container. Destroy safely when empty.

## **WARRANTY**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

USDA Reg. No. 1842-182