5%

SEVIN GARDEN DUST

TO HIVE A DOWN MISS

n de stablet en en 1999 op de de la fille de selve de la fille Nationale de la fille de l

a 18th of the company of the three three three

e to als 4 line

AC

10-10-20

1842-184

5% SEVIN GARDEN DUST

Directions For Use

Apply when insects are first noted and repeat at 7 to 10 day intervals or as needed. 1 oz. - 2 tablespoons. Application can be made up to day of harvest.

Beuns: To control Mexican Bean Beetle. Bean Leas Beetle, Corn Earworms, Cucumber Beetles. Flea Beetles, Lima Eean Pod Borer, Lygus Bugs and Japanese Beetles, apply 1 to 2 ounces per 50 ft. of row.

Beetles, Melon Worms, Pickleworm and Squash Bug, apply 1 ounce (2 Tab espoons) per 50 ft. of row.

leish Potatoes: To control Colorado Potato Beetle, Flea Beetles, Leaf-hoppers and Lygus Bugs, apply 1 to 2 ounces per 50 ft. of row.

Tomatoes, Peppers and Eggplant: To control Tomato Hornworms, Tonato Fruitworm, Fall Armyworm. Flea Beetles, European Corn Boier, Leafhoppers and Stink Bugs. apply 1 to 2 ounces to 50 ft. of rov.

Lawns: To control Fail Armyworms, Leafhoppers and Sod Web-wirms, apply 1 pound to 250 square feet. Apply after rain or water-in; and do not water for at least 2 days after application. Repeat treatment in 2 or 3 weeks if needed.

Ornamentals: To control Aphids, Bagworms, Leaf Miners, Blister Betle, Boxelder Bugs, Flea Beetle, Lace Bugs, Leafhoppers, Leaf Rollers, Fiyllids, Rose Slugs, Scale insects in the crawler stage, Tent Cater-plars and exposed Thrips, apply thoroughly to infested plants at first sgn of damage and repeat at 7 to 10 day intervals or as needed. Apply in Spring and early summer for scale control.

Dogs and Cats: To control Brown Dog Tiels and Flees apply iberally to animal and rub thoroughly into skin. Dust in and around leeping quarters. Repeat weekly if necessary. Do not treat kittens less

han 4 weeks old.

CAUTION

Harmful if swallowed or inhaled. Avoid breathing dust. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling Change clothing daily. Do not contaminate feed or foodstuff. Keep out of reach of children.

Note for Phusician: Carbaryl is a moderate reversible cholinesteras inhibitor. Atropine is antidotal.

Notice of Warranty

Seller warrants that this product conforms to its hemod descript in and is reasonably fit for the purpose stated on the label when used in an italize with directors under normal conditions of use, but neither this warranty nor any other warranty of mer tour delive or freeze for a sacticular purpose, expressed or implied extends to the use of this product contrary to label in structions or under abnormal conditions, or under conditions not researchly freserable to the seller, and buyer assumes the risk of any such use