


TRIANG

CHEMICALS

DANGER — POISON — PRECAUTIONS



POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

POISONOUS IF BREATHED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

Breathing vapors, spray mist or dust may be fatal.

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed and foodstuffs. **DO NOT USE, POUR, OR SPILL NEAR HEAT OR OPEN FLAME.**

POISONOUS TO FISH, WILDLIFE & BEES

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.**

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smoke.)

SUPER DUPE

6-2-1

STOP — READ LABEL BEFORE USE

POISON DANGER



KEEP OUT OF REACH OF CHILDREN

See Side Panels for
Antidote &
Precautions
NOT FOR
HOME
USE OR
STORAGE

DIANGLE

CHEMICALS

PER DUPER 6-2-1

READ LABEL BEFORE USING

POISON DANGER



**KEEP OUT OF REACH
OF CHILDREN**

See Side Panels for
Antidote &
Precautions
NOT FOR
HOME
USE OR
STORAGE

POISON  **POISON**

**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS.**



POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils.

FIRST AID TREATMENT

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Methyl Parathion exerts muscarine-like effects—ie, stimulation of the para sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion poisoning. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives. Refer to "Clinical Handbook On Economic Poisons"

DIRECTIONS FOR USE

MIXING DIRECTIONS

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking Cotton.

1. Add about one half total amount of water to be used.
2. Start agitation and add Super Duper 6-2-1.
3. Continue to mix and add remaining water.

APPLICATION DIRECTIONS

For ground application only, use at least 2 gallons of water per acre.

Application should be made only by experienced personnel using approved protection equipment.

COTTON—Early Season Control: Overwintered Boll Weevils, Cotton Fleahoppers, Flea Beetles, and Thrips - Use 2 pints per acre making from 2 to 4 applications at 7 to 10 day intervals.

Mid Season Control: Apids, Boll Weevils, Cotton Leafworms, Fleahoppers, Grasshoppers, Red Spider Mites, and Thrips - Use one third

gallon per acre. Apply at four to five day intervals until control is gained. Proper timing of applications is essential.

Late Season Control: And trouble cases of bollworm and cotton leaf perforators caused by previous insufficient dosage; lack of weekly scouting; failure to maintain recommended regular application, by reason of weather conditions or otherwise, INCREASE rate per acre to ½ gallon of SUPER DUPER 6-2-1 for one application, then return to recommended dosage as in Mid Season Control and maintain regular recommended schedule. Do not apply within 15 days of hand picking or mechanical picking.

CAUTION: Do not use on forage crop to be fed to or grazed by dairy animals or animals being finished for slaughter.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

EPA Reg. No. 1842-244

EPA Est. No. 1842-GA-1