

**RESTRICTED USE PESTICIDE**  
 For retail sale to and use only by Certified Applicators or persons under their direct supervision only for those uses covered by the certifier's certification.

**TRIANG**  
 CHEMICALS

**METHYL PARATHION**  
**4 LB. E. C.**

**STOP — READ LABEL BEFORE USE**

**POISON DANGER**



**KEEP OUT OF REACH OF CHILDREN**

See Side Panels for Antidote & Precautions

**NOT FOR HOME USE OR STORAGE**

**DANGER — POISON — PRECAUTIONS**



**DO NOT SWALLOW**



**DO NOT TOUCH**



**DO NOT BREATHE**

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**DANGER**

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed and foodstuffs. **DO NOT USE POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME**

**POISONOUS TO FISH, WILDLIFE & BEES**

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.**

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

Wear clean natural rubber gloves, waterproof paste coat, hat, rubber boots or rubber overalls and safety goggles when handling, mixing or applying this product. Wear a pesticide respirator jointly approved by the Mining, Enforcement and Safety Administration, formerly the U.S. Bureau of Mines, and by the National Institute for Occupational Safety and Health under the provisions of 29 CFR Part 11 for Methyl Parathion.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**CONTAINER DISPOSAL**

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smelter.)

**RESTRICTED USE PESTICIDE**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

# TRIANGLE CHEMICALS

## METHYL PARATHION 4 LB. E. C.

STOP — READ LABEL BEFORE USING

**POISON DANGER**




**KEEP OUT OF REACH  
OF CHILDREN**

See Side Panels for  
Antidote &  
Precautions

**NOT FOR  
HOME  
USE OR  
STORAGE**

**ACTIVE INGREDIENTS:**

Methyl Parathion	4.0%
Inert Ingredients	96.0%
Total	100.0%



**DO NOT BREATHE**  
TOXIC IF BREATHED  
Breathing vapors, spray mist or dust may be fatal.

Absorbed through the skin or eyes.  
Increases susceptibility to methyl parathion.

Do not apply to any body of water. Do not apply to cover. Do not contaminate water by direct treatment or residues on crops. **APPLY THIS PRODUCT ONLY**

**PROTECTIVE**  
Wear goggles and safety goggles when using. See the Mining Enforcement and Safety Administration Safety and Health under the Act.

There is danger of drift. Stop work and get help right away. Call a doctor if you have been exposed to methyl parathion (see Treatment Section); and if a doctor is not available, wash hands, face and arms.

Wash hands, face and arms with water. Wear only clean clothes during application and protective equipment should be replaced according to instructions.

When mixing 5 gallons of water, 2 quarts of water. Cover openings and rotate container at least 18 inches deep (to prevent further drift of smoke).

**CALL A PHYSICIAN FOR FIRST AID**

**WARNING SYMPTOMS:** Headache, nausea, abdominal pain, dizziness, blurred vision, weakness, difficulty breathing.

**SYMPTOMS OF POISONING:** Headache, vomiting and diarrhea.  
**TREATMENT:** In case of swallowing, induce vomiting with 1-2 glasses of water freely and wash clothing and wash skin with water for at least 15 minutes.  
**PHYSICIANS NOTE:** Atypical nervous system side patients tolerance is increased and may be suspected of Parathion.

This product is a contact insecticide that mixes readily with water for control of certain insects on COTTON. For control of boll weevil, apply at a rate of 1/2 to 1 gallon of water per acre. For airplane application, apply 1 to 2 gallons of water per acre. Begin applications early and repeat applications as needed to maintain control.

For early weevil control, apply 1.5 times at 10 days of the first application. Full grown bollworm migration.

Seller warrants that the product is as described when used in accordance with the instructions, or under the conditions of any such use.

Manufactured by **TRIANGLE CHEMICAL COMPANY** M... AVAILABLE

ESTICIDE  
Certified Appli-  
supervision and  
the certified

GLE

ATHION  
C.

FORE USING  
DANGER

PARATHION

POISON ☠ POISON

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.  
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS.



POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils.

☠ FIRST AID TREATMENT ☠

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pain. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Methyl Parathion exerts muscarine-like effect, stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patient tolerance is indicated to relieve symptoms. The administration of oxygen is helpful. E-pam is also indicated and may be administered in conjunction with atropine. Never give morphine to patients suspected of Parathion poisoning. Refer to "Clinical Handbook On Economic Poisons".

#### DIRECTIONS FOR USE

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking cotton.

**COTTON** For control of aphids, red spider mites, boll weevil, cotton leaf worms and thrips, apply at a rate of  $\frac{1}{2}$  to 1 pint per acre with sufficient water to give uniform coverage.

For airplane application use at least 2 to 10 gallons of water per acre.

Begin application when insects first appear and repeat application as often as necessary to maintain control.

- For early season control of overwintering boll weevils, apply as early as the 2 to 4 leaf stage and repeat 1 to 2 times at 7 to 10 day intervals. For mid season control, apply at the start of squaring or after 10-25% of the 1st squares are punctured and repeat at 3 to 6 day intervals as needed or until the top bolls are full grown. Repeat at 3 day intervals during the major fruiting season and periods of heavy weevil migration.

#### Notice Of Warranty

We warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

EPA Reg. No. 1842-205  
EPA Est. No. 1842-Ga.-1

AVAILABLE