

ACCEPTED

Jul 12, 1971

Net Weight 50 Lbs.

1842-267

TRIANGLE

5 - 3.4 - 75 Peanut Dust

THIS PRODUCT IS FOR USE AS A DUST. DO NOT USE AS A LIQUID.

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
Copper as metallic (Derived from Tribasic Copper Sulphate)	3.4%
Sulphur	75.0%
INERT INGREDIENTS	16.6%

5.0%

3.4%

75.0%

16.6%

100.0%

Caution Keep Out of Reach of Children

Directions for Use

For **LEAFSPOT**, **LEAFHOPPER**,
and **MILDEW** on **BEAN**, **CATERPILLAR** on **PLANTS** dust at a rate of
0.6 to 1.0 pounds per 100 square feet
(size of plants) when leafspot first
appears. Repeat application at 10 day
intervals for 3 to 4 applications.

Caution

DO NOT USE ON CROPS WHICH ARE
NOT LISTED AS ABOVE. DO NOT USE ON
CROPS WHICH ARE SENSITIVE TO CARBARYL.
DO NOT USE ON CROPS WHICH ARE
NOT SENSITIVE TO COPPER. DO NOT USE
ON CROPS WHICH ARE SENSITIVE TO
SULPHUR. DO NOT USE ON CROPS WHICH
ARE SENSITIVE TO CARBARYL AND
COPPER. DO NOT USE ON CROPS WHICH
ARE SENSITIVE TO SULPHUR AND
CARBARYL. DO NOT USE ON CROPS WHICH
ARE SENSITIVE TO COPPER AND
SULPHUR. DO NOT USE ON CROPS WHICH
ARE SENSITIVE TO ALL THREE INGREDIENTS.

IF INHALED OR SWALLOWED:
Do not breathe dust. Do not take oral
medicines. Avoid breathing of dust. Skin contact does
not harm. Avoid contact. Wash hands. Change
clothes. Take shower or bath after work. Wear
long-sleeved work clothes. Wash clothes
separately.

IF IN EYES: Rinse eyes with water for
at least 15 minutes. If irritation continues,
see a doctor.

IF ON SKIN: Get medical advice if you feel
unwell.

Notice of Warranty

We warrant that the product will do the
things described herein and is free from
defects in material or workmanship for a period
of one year from the date of purchase.
We shall not be liable for damage to
crops or animals resulting from the use of
this product. We shall not be liable for
any damage to property or人身 injury
caused by the use of this product.

Manufactured by

TRIANGLE CHEMICAL COMPANY

MACON GA.

Copper Sulfate	3.4%
Sulphur	75.0%
INERT INGREDIENTS	16.6%
	<hr/>

Caution Keep Out of Reach of Children

Directions for Use

For FEASTSPOT, LEAFHOPPER, and VELVETBEAN CATERPILLAR on PEANUTS, dust at a rate of 20 to 25 pounds per acre (depending on size of plants) when leafspot first appears. Repeat application at 10 day intervals for 3 to 4 applications.

Caution

For protection of honeybees, avoid use if possible, during periods when honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or by disposal of wastes. Apply this product only as directed on this label.

Do not reuse empty container. Destroy it by burying with waste or burning in a safe place. Stay away from smoke or fumes.

HARMFUL IF INHALED OR SWALLOWED. Do not breathe dust. Do not take internally. Avoid breathing of dust. Skin contact may be harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

Note for Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

Notice of Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

(P.P.G. U.S. Pat. Off.)

Manufactured by

TRIANGLE CHEMICAL COMPANY
MACON, GA.

ESDA Part No. 15-2700