




1842-220

20% Endrin Emulsifiable Concentrate

(Contains 1.6 lbs. Endrin per gallon)

ACTIVE INGREDIENTS:

Endrin (Hexachlorocyclopentadiene, endo, endo-dimethanonaphthalene) ~~(20.0%)~~

Aromatic Petroleum Hydrocarbons

INERT INGREDIENTS

20.0%
70.0%
10.0%

100.0%



POISON

WARNING Keep Out of Reach of Children.

MIXING DIRECTIONS

Mix Endrin Emulsifiable Concentrate with water by agitation or by circulating the mixture through the spray pump and back into the tank. Agitate before use until a uniform milky emulsion is formed.

NOTE

A precipitate may deposit in cold weather. In such case warm gently and agitate until redissolved before using.

DIRECTIONS FOR USE

COTTON INSECTS: For control of *Boll Weevil*, *Bollworm*, *Leafworm*, *Fleahopper*, *Cutworm*, *Grasshoppers* and *Thrips*, use 1 20% pint per acre, with sufficient water to cover, in low pressure sprays when insects are noted. Repeat as

needed. For *early season* control of *Boll Weevils* use at a rate 4 11/4 pints per acre.

Workers entering fields within 5 days after treatment should be protected

WARNING

POISONOUS by Swallowing, Inhalation, or Skin Contact! Do not get in eyes on skin or on clothing. Do not breathe dust or spray mist. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Department of Agriculture for endrin protection. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. Do not apply or allow to drift to areas occupied by unprotected humans or domestic animals. Do not contaminate feed and seed stuffs.

Dairy animals or animals being finished for slaughter should not be grazed on treated cotton fields.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area nor in any manner not specified on the label.

Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.

For Hazard: Do not store near food or open flame.

Birds feeding on treated areas may be harmed.

ANTIDOTE

POISONING: If swallowed Give a table-spoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have patient lie down and keep quiet. Call a physician immediately! If on skin Wash immediately with soap and water.

NOTE TO PHYSICIAN

In case of accidental poisoning administer barbiturates as for anti-convulsant therapy. Observe patient carefully since reported treatment may be necessary.

NOTICE OF WARRANTY

Because conditions of use will determine actual performance, Triangle Chemical Company makes no warranty, expressed or implied, as to the results to be obtained from the use of this product.

Manufactured by

Net Contents

TRIANGLE CHEMICAL COMPANY

MACON, GA.

Gallons