

3

DIRECTIONS FOR USE — EQUIPMENT

A sprayer designed for low volume applications is recommended. Do not use strainers finer than 50 mesh. The spray mixture must be agitated to maintain a uniform spray concentration. By-pass agitation is satisfactory.

APPLICATION OF THE SPRAY

30 to 40 gallons of spray broadcast rates per acre are required to ensure thorough uniform coverage of weeds. Use a proportional amount for band treatment depending on band width treated. Apply as a directed spray to weeds. Keep spray off cotton foliage.

MIXING THE SPRAY

Shake well before mixing. Add about one-half of the total volume of water to the tank. Start the pump to provide agitation, and pour in the desired amount of herbicide concentrate. Rinse herbicide containers into spray tank. Add water to make the total desired volume.

PRE-BLOOM, POST-EMERGENCE WEED CONTROL IN COTTON

For broad spectrum post-emergence weed control, HERBAN-62 may be used to control Johnson grass, Goosegrass, Nutgrass (Coco), Colorado grass (Harrain grass), Barnyard grass (Water grass), Crabgrass, Morning glory, Cocklebur, Pigweed, Purslane, Coffee Weed, Florida pusley, Smartweed, Poverty weed, and Carpetweed.

RATE

Use 0.5 gallon broadcast rate in 30 to 40 gallons of water per acre. If band application is used, apply a proportional amount of the mixture. For example, on a 14" band (40" row spacing) use 10 to 14 gallons of spray mixture per acre of crop. Applications should be made to weeds when cotton is 3 inches high and until first bloom. Do not apply this mixture after the first blooms open. Do not add additional wetting agent to the spray mixture. Thoroughly wet stems and foliage of weeds. Nozzles should be arranged so as to avoid spraying the cotton foliage, but also to give maximum coverage of weeds and grasses. Make a second application at the same rate 7 days after the first.

Shake Well
Before Sampling
or Using.

HERBAN-62

HERBAN - MSMA - SURFACTANT COTTON HERBICIDE

ACTIVE INGREDIENTS:	% By Weight
*Norea (3-(hexahydro-4, 7-methanoindan-5-yl)-1, 1-dimethylurea)+	13.1
Related Reaction Products	0.7
**Monosodium Acid Methanearsonate	28.6
INERT INGREDIENTS	57.6
TOTAL	100.0

* Also known as HERBAN®
** Also known as MSMA

+ U. S. Patent Applied For
® Trade-Mark Registered/or Applied For
Each gallon contains 1.6 pounds norea and related reaction products and 3.3 pounds MSMA. Total water soluble elemental arsenic content is 13.1 percent.

CAUTION: Keep out of reach of children.
Read side panel for use, instructions and handling precautions.

Made by
Triangle Chemical Co.
MACON, GEORGIA

USDA Registration No. 1841-252

Net Content
1 GALLON

BEST DOCUMENT AVAILABLE

HERBAN-62

SURFACTANT HERBICIDE

% By Weight

2,4-D (2,4-dichlorophenoxyacetic acid)	13.1
2,4,5-T (2,4,5-trichlorophenoxyacetic acid)	0.7
Sodium 2,4,5-T	28.6
Surfactant	57.8
Total	100.0

Net Contents
1 GALLON

BEST DOCUMENT AVAILABLE

CAUTION: HARMFUL IF SWALLOWED. Do not get in eyes. Avoid contact with skin. Avoid breathing of spray mist. Wash hands after using. Keep children and animals off treated areas until washed into soil.

ANTIDOTE: If taken internally, induce vomiting, and call a physician at once.

Do not graze treated areas or feed livestock treated foliage. Do not use this mixture for any purpose or in any manner not given on this label, as to do so may result in unlawful residues.

PRECAUTIONS

Following Crops—HERBAN-62 is gradually destroyed in the soil. However, crops other than cotton, sorghum, seed spinach, sugar cane, or tolerant ornamentals should not be planted sooner than 5 months after treatment of soil with HERBAN-62 to avoid the possibility of crop injury.

Accurate Dosage—Calibrate equipment and double-check calculations and measurements for preparation of spray liquid. Shut off spray when turning, stopping, or slowing tractor.


Prevent Injury to Other Crops or Plants—Do not use HERBAN-62 on or near lawns, flowers, or other desirable plants. Prevent the drift of spray to other areas. Do not contaminate water in irrigation ditches or domestic water supplies. Do not store HERBAN-62 in contact with fertilizers, seeds, insecticides, or fungicides.

Cleaning Sprayer—Flush all parts of sprayer with several charges of fresh water promptly after job is finished. Parts such as nozzle tips and screens should first be removed and washed separately. Do not contaminate water supplies by cleaning of equipment, or disposal of wastes.

Destroy Container—Do not reuse for any other purpose.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.



BEST DOCUMENT AVAILABLE

10

and related reaction products
elemental arsenic content is

of reach of children.
Directions and handling

Chemical Co.
MIA

DIRECTIONS FOR USE — EQUIPMENT

A sprayer designed for low volume applications is recommended. Do not use strainers finer than 50 mesh. The spray mixture must be agitated to maintain a uniform spray concentration. Bypass agitation is satisfactory.

APPLICATION OF THE SPRAY

10 to 40 gallons of spray per acre are required to give uniform coverage of weeds. Use a practical amount of spray for treatment depending on the field situation. Apply to the roots of weeds. Keep spray off the cotton foliage.

MIXING THE SPRAY

Shake well before mixing. Add acid to water first, then add the herbicide. Start the agitator before adding the herbicide. After the herbicide is added, continue to agitate for 10 to 15 minutes before using.

PRE-BLOOM, POST EMERGENCE WEED CONTROL IN COTTON.

For control of weeds in cotton, apply this herbicide to the soil in the row between the cotton plants. Do not apply to the cotton plants. Do not apply to the soil in the row between the cotton plants. Do not apply to the soil in the row between the cotton plants. Do not apply to the soil in the row between the cotton plants.

RATE

Apply 1/2 to 1 1/2 pounds of active ingredient per acre. Do not apply more than 1 1/2 pounds of active ingredient per acre. Do not apply more than 1 1/2 pounds of active ingredient per acre. Do not apply more than 1 1/2 pounds of active ingredient per acre. Do not apply more than 1 1/2 pounds of active ingredient per acre.

Shake Well
Before Sampling
or Using

ACT
INE
CA

HERBAN-62

HERBAN - MSMA - SURFACTANT
COTTON HERBICIDE

ACTIVE INGREDIENTS:	% By Weight
*Norea (3-(hexahydro-4, 7-methanoindan-5-yl)-1, 1-dimethylurea)	13.1
Related Reaction Products	0.7
**Monosodium Acid Methanearsonate	28.6
INERT INGREDIENTS	57.6
TOTAL	100.0

Net Contents
1 GALLON

CAUTION: Keep out of reach of children.
Read side panel for use, instructions and handling precautions.

Made by
Triangle Chemical Co.
MACON, GEORGIA

CAUTION: HARMFUL IF SWALLOWED. Do not breathe vapors. Avoid breathing dusts. Wash hands after use. Keep out of reach of children and animals. Off-treated areas may be washed with water.
ANTIDOTE: If taken internally, induce vomiting.
Do not use treated areas for food crops.
This material is a restricted use pesticide. For more information, see the label.

PRECAUTIONS

Following Crops: HERBAN 62 is registered for use on cotton, soybeans, and sorghum. Do not use on other crops. Do not use on cotton after the first square has opened. Do not use on soybeans after the first trifoliate leaf has opened. Do not use on sorghum after the first leaf has opened.
Accurate Dosage: Carefully read and follow the label directions for use. Do not exceed the recommended dosage.
Prevent Injury to Other Crops or Plants: Do not use on crops or plants that are sensitive to herbicides. Do not use on crops or plants that are in bloom. Do not use on crops or plants that are in fruit.
Cleaning Sprayer: After use, clean the sprayer thoroughly with water. Do not use the sprayer for other purposes.
Destroy Container: Destroy the container after use.

NOTICE OF WARRANTY

