

# TRIANGLE 6-3 TOX-M P

## ACTIVE INGREDIENTS:

- \*Toxaphene
- \*\*O,O-dimethyl O-p-nitrophenyl thiophosphate

## INERT INGREDIENTS

- \*Technical Chlorinated Camphene (67%-69% Chlorine)
  - \*\*Methyl Parathion
- Contains: 6 lbs. Toxaphene— 100. Methyl Parathion— Per Gallon

52.0%

24.54%

18.11%

5.00%

100.0%



**POISON**

Application should be made only by experienced personnel using approved protection equipment.

### MIXING DIRECTIONS

1. Add about one half total amount of water to be used.
2. Start agitation and add Super Duper.
3. Continue to mix and add remaining water.

### Directions For Use

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking cotton.

**COTTON**—Early Season Control Overwintered Boll Weevils, Cotton Fleahoppers, Flea Beetles, and Thrips—Use 2 pints per acre making from 2 to 4 applications at 7 to 10 day intervals. Use the maximum dosage if boll weevils are present.

Mid and Late Season Controls: Aphids, Bollworms, Boll Weevils, Cotton Leaf Perforators, Cotton Leafworms, Fleahoppers, Grasshoppers, Red Spider Mites, and Thrips—Use one third gallon per acre. Apply at four to five day intervals until control is gained. Proper timing of applications is essential.

Do not apply within 15 days of hand picking.

Workers entering treated fields within 5 days after application should wear protective clothing.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

DO NOT GRAZE DAIRY ANIMALS

OR ANIMALS Manufactured by BEING FINISHED FOR SLAUGHTER IN COTTON FIELDS TREATED LATE IN THE SEASON.

**DANGER: POISON** Keep Out of Reach of Children.

See Additional Warnings Below.

### Warning

Poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes on skin. Rapidly absorbed through the skin. Repeated exposure may, without symptoms, be increasingly hazardous. Wear protective clothing, natural rubber gloves, and goggles.

Do not breathe fumes or spray mist. Wear a mask or respirator effective for protection against Parathion. Information as to suitable types of masks or respirators is available from the U. S. Department of Agriculture.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Workers who must enter treated fields within 2 days of application should wear protective clothing. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Do not use on other crops used for food or forage. Use only according to label directions. Applications at rates above those shown may result in illegal crop residues.

Highly toxic to fish and wildlife. Birds and other wildlife on treated areas may be killed. Do not contaminate any body of water nor apply to any area not specified on the label.

**KEEP AWAY FROM OPEN FLAME**

### Container Disposal

**DO NOT RE-USE THE CONTAINER**—Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse empty container by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location.

Do not use container in any connection with feed, food, and drinking water.

### Notice Of Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

**SYMPTOMS OF POISONING:** A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

**TREATMENT:** In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

### TO PHYSICIAN:

**ANTIDOTE**—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

**TRIANGLE CHEMICAL COMPANY** Macon, Ga.

Net Contents:

Gals.

USDA REG. N. 1342