






DANGER: Keep Out of Reach of Children.

DANGER — POISON — PRECAUTIONS



lowed even in small amounts; spray mist or dust may be fatal if swallowed.

in eyes or on clothing (Liquid goes through clothes).

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor.

Repeated inhalation or skin contact may, without symptoms progressively increase susceptibility to parathion poisoning.

Clothing wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention if they may do.

Do not contaminate feed or foodstuffs.

KEEP AWAY FROM HEAT AND OPEN FLAME.



This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.** This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U. S. Bureau of Mines for parathion.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital - immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers.

Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning (Keep out of smoke).

NOTICE OF WARRANTY

Supplier warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and supplier assumes no liability for such use.

First Aid Treatment 15 minutes

PHYSICIANS NOTE: Methyl Parathion and Ethyl Parathion exert muscarine-like effects on stimulation of the post-synaptic nervous system. Repeated oral or parenteral administration produces stupor to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients exposed to Parathion. Refer to "First Aid Treatment On Economic Poisons."

APPLY

COTTON BOLL WEEVILS (TETRAETHYL PARATHION) Apply 15 to 20 lbs. per acre depending on size of plants, and severity of infestation. Begin dosing on a 5-day schedule as soon as infestation is noted. Do not graze treated lands or feed cotton trash to dairy or meat animals within 7 days after treatment. Workers entering field within 24 hours after application should wear protective clothing. Do not handle pickled cotton within 7 days.

feed to or graze dairy or meat animals within 7 days of treatment.

Do not apply more than 2 applications per growing season. Do not apply within 20 days of Grazing or Hay St.

Note Cautions and use directions fully before using.

FOR TOBACCO APHIS, FLEA BEETLES & HORNWORMS

Apply 4 to 5 pounds per acre as soon as plants become established in field, repeated at two week intervals, increasing treatment to 20 pounds per acre by the time of first half growth.

Do not apply within 5 days of planting or 15 days of cutting. Avoid breaking plant parts or stems, which contact with soil or manure or animal feces, crushed top leaves, the root system or allow to drift to areas where they might be consumed or taken forage.

Do not apply to tomatoes within 10 days of harvest and to peppers within 15 days of harvest.

Cautions: Do not graze dairy animals or animals being finished for slaughter.

Workers entering treated fields within 24 hours after application should wear protective clothing. Do not use on fields containing crops to be fed to dairy or meat animals or manure from animals finished for market. Do not apply or allow to drift to areas where they might be consumed or taken forage.

Manufactured For

TRIANGLE CHEMICAL COMPANY

Net weight 50 Pounds

Macon, Georgia

10-10-64