

**DANGER -- POISON -- PRECAUTIONS**



DO NOT SWALLOW

**POISONOUS IF SWALLOWED**  
This product can be swallowed even in small amounts. Spray mist may be fatal if swallowed.



DO NOT TOUCH

**POISONOUS BY SKIN CONTACT**  
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



DO NOT BREATHE

**POISONOUS IF BREATHED**  
Breathing vapors, spray mist may be fatal.

**DANGER**

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor.

Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning.

Anything wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention or they may die.

Do not contaminate feed and foodstuffs.

KEEP AWAY FROM HEAT AND OPEN FLAME

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration, formerly the U.S. Bureau of Mines, and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and toxaphene and describe his condition. After first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to clinic or hospital. IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**CONTAINER DISPOSAL**

Do not reuse empty containers.

Decontaminate empty containers by rinsing with a solution prepared by mixing 1 gallon of water, 2 pounds of caustic soda, household lye, and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes.

**NOTICE OF WARRANTY**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.



**MR. 4 X 4**

STOP — READ LABEL BEFORE USING

**POISON**

**DANGER**



KEEP OUT OF REACH OF CHILDREN

See Side Panel for Antidote & Precautions

NOT FOR HOME USE

Or Storage

DO NOT USE, F NEAR HEA

**ACTIVE INGREDIENTS:**

- \*Toxaphene ..... 36.85%
- \*\*O,O-dimethyl O-p-nitrophenyl thiophosphate ..... 36.85%
- Xylene ..... 21.81%

**INERT**

- INGREDIENTS ..... 4.49%
- 100.00%**

\*Technical Chlorinated Camphene (67% - 69% Chlorine)  
\*\*Methyl Parathion  
(contains 4# Toxaphene and 4# Methyl Parathion Per Gal.)

Net Contents \_\_\_\_\_

Manufactured by **TRIANGLE CHEMICAL COMPANY** Made

# MR. 4 X 4

STOP — READ LABEL BEFORE USING

**POISON DANGER**



KEEP OUT OF REACH OF CHILDREN

See Safe Parathion for A Guide to Safe Use & Precautions

**NOT FOR HOME USE**  
Or Storage

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Net Contents \_\_\_\_\_ Gals.

...36.85%  
...36.85%  
...21.81%  
...4.49%  
**100.00%**

**TRIANGLE CHEMICAL COMPANY** Macon, Ga.

**POISON POISON**  
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING  
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS

**POISON SIGNS (Symptoms)**

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils. Poisoning may also result in central nervous system stimulation with hyperirritability, convulsions, and/or coma.

**FIRST AID TREATMENT**

**SYMPTOMS OF POISONING:** A sense of "tightness" in the chest, Sweating, Contracted pupila, Stomach pains, Vomiting and diarrhea.

**TREATMENT:** In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**PHYSICIANS NOTE:** Methyl Parathion exerts muscarine like effects, i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. 2-Pam is also antidotal and may be administered in conjunction with atropine. Never give morphine to patients suspected of Parathion poisoning. Ioxaphen produces central nervous system excitation which responds to the barbituric acid derivatives. Refer to "Clinical Handbook on Economic Poisons."

**Directions For Use**

For ground application only, use at a rate of 2 gals. of water per acre.

Application should be made only by experienced personnel using approved protection equipment.

**MIXING DIRECTIONS**

1. Add about one half a quart of water to be used.
2. Start agitation and add Mr. 4 X 4.
3. Continue to mix and add water to 2 gal. water.

**DIRECTIONS FOR USE**

This product is a general purpose insecticide that may be used for the control of insects attacking cotton.

**COTTON:** Early season control of the wintered Boll Weevil, and the cotton leaf miner, at 4-14 lbs. per acre, and late season control of bollworm, at 4-14 lbs. per acre.

**Mid-Season Control:** For control of the Boll Weevil, Cotton Leaf Miner, and other pests, apply at 4-14 lbs. per acre. For control of bollworm, apply at 4-14 lbs. per acre. For control of other pests, apply at 4-14 lbs. per acre.

Late Season Control: And trouble cases of bollworm, and cotton leaf perforators caused by previous insufficient dosage; lack of weekly scouting; failure to maintain recommended regular application, by reason of weather conditions, or otherwise, INCREASE rate per acre to 7 gallons of Mr. 4 X 4 for one application, then return to recommended dosage as in Mid-Season Control and maintain regular recommended schedule.

Do not water within 10 days of hand picking.

Workers in recently treated fields within 3 days after application should wear protective clothing. Do not use on storage crops to be fed to or grazed by dairy animals or on crops being finished for slaughter. Do not allow to drift to areas occupied by protected humans or livestock.

EPA Reg. No. 1842 Ga. 1  
EPA Reg. No. 1842 259

**DANGER**

POISONOUS TO FISH AND WILDLIFE  
USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING  
WORK SAFETY RULES

**MR. 4X4**



<b>ACTIVE INGREDIENTS:</b>	
*Toxaphene	36.85%
**O,O dimethyl O-p- nitro phenyl thiophosphate	36.85%
Xylene	21.81%
<b>INERT INGREDIENTS</b>	
	4.49%
	<u>100.00%</u>

\*Toxaphene  
\*\*Methidathion  
\*\*\*Methidathion

DO NOT USE

Net Contents

Manufactured by **TRIANGLE CHEMICAL COMPANY** Mc

# MR. 4X4

POISON DANGER



OUT OF REACH  
OF CHILDREN

DO NOT USE, POUR, SPILL OR STORE  
NEAR HEAT OR OPEN FLAME.

USE

Net Contents

Gals.

.36.85%  
.36.85%  
.21.81%  
.4.49%  
100.00%

ion Per G.

## TRIANGLE CHEMICAL COMPANY

Macon, Ga.