

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

Poisonous if touched by hands. Breathing vapors, spray mist or or spilled or splashed on skin. Dust may be fatal in eyes or on clothing (liquid goes through clothes).

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe the spray, mist or vapors. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate food and foodstuffs. **KEEP AWAY FROM HEAT AND OPEN FLAME.**

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.**

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U.S. Bureau of Mines for endrin and methyl parathion. **USE EPN**

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas where there is a danger of drift. Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating, or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (10% solution), and 1 cup detergent. Rinse container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Pour this solution at least 18 inches deep in isolated areas of noncrop and away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning (keep out of smoke).

NOTICE OF WARRANTY

Seller warrants that this product is as described on the label and is suitable for the purpose stated on the label. Seller does not warrant that it is free from defects or that it will perform as described, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose expressed or implied extends to the use of this product in violation of the instructions on the label or to conditions, or under conditions, other than those specified on the label. Seller does not warrant that it is free from any defects.

TRIAN
HEMI

EPN-E

Emulsifiable

STOP - HEAD L.R.

POISON



See Side
Antidote &
Keep Out
of Ch

ACTIVE INGREDIENTS:


*Endrin..... 18.3%
*Ethyl 0-0-nitrophenyl phosphorothioate

INERT INGREDIENTS

100.0%

*hexachlorocyclohexane hydro-
endo, endo dimethanophthalene
**Methyl Parathion

Manufactured by **TRIANGLE CHEMICAL**



6 LE
ALS

15712-267

ENDRIN

Concentrate

READ BEFORE USING

DANGER



Panels for
Precautions
of Reach
Children

ALSO ENLARGE
THE SIZE

KEEP AWAY FROM OPEN FLAME

Contains
1.6 = Endrin Plus
1.6 = Malathion Permethrin
per Gallon

Net Contents Gals

FRAGILE

EMICAL COMPANY Macon, Ga.

POISON POISON
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, lightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, dizziness, sweating, vomiting, salivation and nonreactive pinpoint pupils. Endrin poisoning may also result in a central nervous system stimulation with hyperirritability, convulsions, and tremors.

FIRST AID TREATMENT

SYMPTOMS OF POISONING: A sense of tightness in the chest, sweating, contracted pupils, stomach pain, vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a table-spoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: ~~Endrin is a potent insecticide with narcotic-like effects, i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patient tolerance is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient suspected of Endrin poisoning. Precautions protect central nervous system excitation which responds to the laboratory test done in the laboratory. Refer to "Clinical Handbook on Economic Poisons".~~

Directions For Use

For ground application only use at least 1-10 gal. of water per acre.

This is a concentrated insecticide and must be diluted with water for use. Mix by adding to spray tank containing water with pump or agitator running. Before using, study safety directions. Consult your physician about obtaining an atropine supply of 1-100 gr. Atropine tablets for emergency use.

DIRECTIONS FOR USE

FOR COTTON: Use 1.6 gal. of concentrate per acre. Apply 2-3 times during the growing season. For plants, use 1.6 gal. of concentrate per acre. For other crops, use 1.6 gal. of concentrate per acre. For other uses, see label.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops to be fed or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

HIGHLY TOXIC TO BEES. DO NOT USE WHEN BEES ARE ACTIVELY VISITING AREA TO BE SPRAYED.

POST-TREATED AREA

For more information, contact the nearest Extension Office or Experiment Station or write to the manufacturer.

EMICAL COMPANY

[Handwritten signature]