

- Center Panel -

**RESTRICTED USE PESTICIDE**

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 12 1983

Under the Fungicide, Insecticide, and Rodenticide Act as amended, this pesticide is registered under EPA Reg. No. 1842-267

**TRIANGLE  
CHEMICALS**

**EPN - 25% W/P**



**POISON**



WETTABLE POWDER

**ACTIVE INGREDIENTS:**

O-Ethyl O-p-Nitrophenyl phenylphosphonothioate ..... 25%

**INERT INGREDIENTS..... 75%**

U. S. PAT. 2,503,390

**DANGER: Keep Out Of  
Reach Of Children**


Not For Storage In Or Around Home  
See Additional Caution in Side Panel.  
Store In A Cool Dry Place

Mfg. By TRIANGLE CHEMICAL CO. Macon, Georgia  
EPA Reg. No. 1842-267  
EPA Est. No. 1842-Ga. 1

NET CONTENTS .....

BEST EQUIPMENT AVAILABLE

Left Panel



Left Panel

1840-267

#### PROTECTIVE CLOTHING REQUIRED

Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standards Institute when applying or handling, or when re-entering fields within 24 hours of treatment.

The following protective clothing must be worn: lightweight, unlined, natural rubber gloves at least mid-forearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a non-permeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least mid-calf in length; full-face respirators are recommended; half-face respirators and goggles are required.

Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Extremely hazardous by skin contact, inhalation, or swallowing, rapidly absorbed through skin. Repeated exposure may, without symptoms, be increasingly hazardous. Do not get in eyes, on clothing. Do not breathe vapor, dust, or spray mist. Do not contaminate feed or food stuffs. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

#### ANTIDOTE AND FIRST AID TREATMENT

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and warm water: for eyes, flush with water for 15 minutes and get medical attention.

**INTERNAL:** Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN.

**EXTERNAL:** Immediately remove all contaminated clothing and wash skin thoroughly with soap and warm water.

**NOTE TO ATTENDING PHYSICIAN:** Repeated therapeutic doses of atropine may be effective. Do not use morphine. 2-PAM is also antidotal and may be administered in conjunction with atropine.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. If this product is spilled, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

#### STORAGE AND DISPOSAL

Not for use or storage in or around the home environment. Store in a cool, dry, place. Do not contaminate water, food, or feed by storage or disposal.

Open dumping is prohibited. Stay away from smoke and fumes.

Triple-rinse container and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Consult federal, state, or local disposal authorities for approved alternative procedures.

**BEST DOCUMENT AVAILABLE**

DIRECTIONS FOR USE

"It is a violation of federal law to use this product in a manner inconsistent with its labeling."

**IMPORTANT:** Keep animals and unprotected persons away during treatment and while there is danger from drift or residues. For dust application, use a commercially prepared dust mixture. Do not apply during bloom (of fruits) or later than the following number of days prior to picking, cutting, harvesting, or using: Olives - no later than July 15; citrus - 30 days; corn - 14 days; other fruits, nuts and vegetables - 21 days. Do not apply this product when weather conditions favor drift from treated areas.

Except where noted, figures indicate pounds of EPN 30 Insecticide per 100 spray gallons (as applied by high-pressure hydraulic equipment). When using other types of equipment, adjust the concentration to apply the proper amount of EPN 300 Insecticide per acre.

DuPont EPN 300 Insecticide is a wettable powder recommended for spray application to control certain plant mites and insects.

EPN 300 Insecticide controls the listed mites and insects on apples (do not use on McIntosh and related varieties), apricots, pears, peaches, prunes, plums, grapes, cherries, almonds, walnuts, pecans, olives, citrus, corn, beans and tomatoes. Use sufficient volume of spray to thoroughly cover all plant surfaces. Mix the required amount of EPN 300 insecticide with a small quantity of water and then add to tank with agitator running when nearly full or through the screen while filling with water.

Treatments should begin with the first cover spray following bloom (of fruits) or with the first signs of infestation. Apply one spray and re-treat as necessary. EPN 300 Insecticide should be used only in accordance with recommendations on this label.

**MITE CONTROL:** (Red Spider, European Red, Pacific, Two-Spotted, Willamette and Schoene on pears, apples, plums, peaches, prunes, cherries, grapes, pecans, walnuts, and almonds. EPN 300 Insecticide is generally effective when applied at 1/2 to 3/4 lb. On citrus - for citrus red mite, use 2 lbs. ( 8 to 12 lbs. per acre); for "purple mite" in Florida, use 1 to 1 1/2 lbs. For two spotted mite on beans and tomatoes, and russet mite on tomatoes, use 1/2 lb. Do not apply when trees or a substantial number of weeds in the orchard or grove are in bloom.

**INSECT CONTROL:** Apricots, Cherries, Olives, Peaches, Plums, Prunes. Plum curculio, Oriental fruit moth, use 1 to 1 1/2 lbs; peach tree borer and lesser peach tree borer, 1 1/2 to 3 lbs. Apply 2 or 3 sprays to trunk from ground to scaffold limbs timed with moth flight. Do not use treated citrus rinds for food or feed. Lecanium scale (crawlers) and peach cottony scale (crawlers), 1 1/2 lbs.; olive scale crawlers, 1 lb. plus 1.5 oz. light medium oil or 2 1/2 lbs. alone; fruit tree leafroller on cherries and budmoth on prunes, 3/4 lb. Do not apply when trees or a substantial number of weeds in the orchard or grove are in bloom.

**Apples and Pears** - Plum curculio, 1 to 1 1/2 lbs.; codling moth, 1 lb.; fruit tree leafroller, 3/4 lb.; pear psylla, 1/2 lb.

**Walnuts** - Codling moth, walnut aphid, 1 lb.; fruit tree leafroller, 3/4 lb.

**Grapes and Pecans** - Grape berry moth, 1 lb.; pecan nut casebearer, 1 1/2 lbs.

**Citrus Fruits** - Orangeworms, 5 to 6 lbs. per acre; citrus thrips, 5 to 8 lbs. per acre - outside coverage; fruit tree leafroller and orange tortrix 3 to 9 lbs. per acre.

**Tomatoes** - Leaf miners (Serpentine and certain other species), potato aphid, Southern army worm and tomato fruitworm, 1/2 to 1 lb. at 7 to 10 day intervals as needed.

**Beans and Corn** - Mexican bean beetle, 1/2 to 1 lb.; European corn borer, 1 lb., make 2 to 4 applications beginning 5 to 7 days after eggs are laid. Do not apply to corn during the pollen-shed period if bees are visiting the treatment area.

**COMPATABILITY:** EPN 300 Insecticide is compatible with most other insecticides and fungicides; specifically, liquid lime-sulfur, BHC, Lindane, sulfur, methoxychlor, nicotine, naphthalene acetic acid, and the mercurial and dithiocarbamate fungicides. Do not use EPN 300 Insecticide in combination with Bordeaux or zinc sulfate-lime sprays.

Do not use on McIntosh and related varieties of apples. Do not use treated corn for forage or grazing. Do not apply to corn during the pollen-shed period if bees are visiting the treatment area. Do not apply when trees or a substantial number of weeds in the orchard or grove are in bloom. Do not apply this product when weather conditions favor drift from treated areas.

WARRANTY STATEMENT

Seller warrants that this product conforms to its chemical description and is reasonable fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

BEST PRODUCT AVAILABLE

Triangle Chemical Company  
P.O. Box 4528  
206 Lower Elm Street  
Macon, GA 31208

Gentlemen:

Subject: Federal Register Notice August 31, 1983 to  
EPN Registrants and Applicants  
Triangle EPN-5EC  
EPA Registration No. 1842-264  
Triangle 3-3  
EPA Registration No. 1842-265  
Triangle EPN 25% W/P  
EPA Registration No. 1842-267✓  
Triangle BIG "6"  
EPA Registration No. 1842-268  
Your Applications Dated October 19, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Regarding EPA Registration Numbers 1842-265 and 1842-268, revise the re-entry time to read "48 hours" instead of "24 hours."

Before you release the product for shipment, submit to us final printed labeling for the above named products.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD:ELLENBERGER:DCR-28442:WANG-1271C:vgr:Raven:479-2013:11/25/83

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							