

-Center Label-

APR 1970
EPA REG. NO. 1842-268
EPA EST. NO. 1042-GA.-1

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification

TRIANGLE

CHEMICALS

"BIG 6"

EPN-2 METHYL PARATHION-4

STOP — READ LABEL BEFORE USING

POISON DANGER



Keep Out of Reach
Of Children
See Side Panels
for Antidote &
Precautions

NOT FOR
HOME
USE OR
STORAGE

CONTAINS:
4 lbs. MP and
2 lbs. EPN per gallon

DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME

ACTIVE INGREDIENTS:	
Methyl O-p-nitrophenyl	
Diethyl phosphorothioate	21.81%
Methyl O-nitrophenyl	
Triphosphate	40.22%
Xylene	33.77%
INERT INGREDIENTS 5.00%	
TOTAL 100.00%	

Methyl Parathion

Net Contents:.....Gals.
EPA Reg. No. 1842-268
EPA Est. No. 1042-GA.-1

Manufactured by TRIANGLE CHEMICAL COMPANY Macon, Ga.

DIRECTIONS FOR USE

"It is a violation of Federal law to use this product in a manner inconsistent with its labeling."

METHYL - BIG 6 is an emulsifiable concentrate which contains 4 lbs. Methyl Parathion and 2 lbs. EPN for use on cotton insects. It is suitable for use in conventional hydraulic sprayers and airplane sprayers. For aerial application, dilute in 3 to 4 gallons of water per acre.

COTTON: For control of thrips, certain spider mites, cotton fleahoppers, boll weevils, bollworms, yellow striped armyworm, and garden webworms apply when insects appear and repeat at 5 day intervals as necessary. Do not apply to blooming cotton if bees are visiting the treatment area.

INSECT	COTTON SIZE	ACRE/GAL.
Thrips	Seeding	32
Certain Species Spider Mites		16
Lygus Bugs & Other Mirids		32
Cotton Fleahopper	Squaring	32
Yellow Striped Armyworm		6
Garden Webworm		16
Overwintered Boll Weevil		20
Certain Species Spider Mites		16
Cotton Aphid		16
Boll Weevil	Late Season	12
Cotton Leafworm		12
Fall Armyworm		16

IMPORTANT

Do not apply within 7 days of hand picking or mechanical picking. Do not re-enter fields within 48 hours if unprotected. Workers entering treated fields within 24 hours must wear protective clothing. Keep animals and unprotected persons away during treatment and while there is danger from drift or residues. Do not apply this product when weather conditions favor drift from treated areas. NOTE: Do not store at temperatures below freezing as such low temperatures may be harmful to this product.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

Left Panel

PRECAUTIONARY STATEMENTS




POISON

DANGER: KEEP OUT OF THE REACH OF CHILDREN.

Left Panel

WARNING

DANGER — POISON — PRECAUTIONS

 <p>DO NOT SWALLOW</p>	 <p>DO NOT TOUCH</p>	 <p>DO NOT BREATHE</p>
<p>POISONOUS IF SWALLOWED This product can kill you if swallowed even in small amounts, spray mist or dust may be fatal if swallowed.</p>	<p>POISONOUS BY SKIN CONTACT Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)</p>	<p>POISONOUS IF BREATHED Breathing vapors, spray mist or dust may be fatal.</p>

PROTECTIVE CLOTHING REQUIRED

Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standards Institute when applying or handling, or when re-entering fields within 24 hours of treatment.

The following protective clothing must be worn: lightweight, unlined, natural rubber gloves at least mid-forearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a non-permeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least mid-calf in length; full-face respirators are recommended; half-face respirators and goggles are required.

Aerial applicators in positive pressure cockpit and other applicators in compatible ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion and EPN poisoning. Clothing wet with this material must be removed immediately.

Do not rub eyes or mouth with hands. Keep all unprotected persons and children away from treated area where there is a danger of drift. Exposed persons must receive prompt medical attention or they may die. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) or clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and EPN and describe his condition. After first aid is given (see First Aid Treatment section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Wash your face and areas with soap and water before removing, either on or off your body. Take off all work clothes and shoes, including boots, and wash with soap and water. Wash only clean clothes and shoes. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to manufacturer's instructions included with respirator. Do not breathe treated area until clean.

CLEANSING

WASHING OF CLOTHING: Wash work clothes and shoes with soap and water before reuse. Do not reuse work clothes or shoes until they are completely clean. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to manufacturer's instructions included with respirator. Do not breathe treated area until clean.

gloves at least mid-forearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a non-permeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least mid-calf in length; full-face respirators are recommended; half-face respirators and goggles are required.

Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion and EPN Poisoning. Clothing wet with this material must be removed immediately.

Do not rub eyes or mouth with hands. Keep all unprotected persons and children away from treated area where there is a danger of drift. Exposed persons must receive prompt medical attention or they may die. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and EPN and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK**, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator. Do not contaminate feed and foodstuffs.

ANTIDOTE AND FIRST AID TREATMENT

SYMPTOMS OF POISONING include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils.

TREATMENT: Call a physician immediately in all cases of suspected poisoning. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Methyl Parathion exerts muscarine-like effects - ie, stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion poisoning. Refer to "Clinical Handbook on Economic Poisons".

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from area treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

STORAGE AND DISPOSAL

PROHIBITION: Not for use or storage in or around the home environment. Do not contaminate water, food, or feed by storage or disposal.

PERMITS FOR DISPOSAL: To a city, town, county, or State, or to a facility that cannot be used or lawfully processed, stored, transported, or disposed of by other approved methods, or burned in a safety incinerator, water applied, open dumping is prohibited.

CONTAINER DISPOSAL: Containers (except for 5-gallon) and other containers for recycling, reconditioning, or reuse must be approved locally, or bury in a safe place.

GENERAL: Store in a cool, dry place. Store away from children and pets. Consult Federal, State or local regulations for other approved alternative procedures.



011 12

Triangle Chemical Company
P.O. Box 4521
200 Lower 11th Street
Racon, Ga 31208

Gentlemen:

Subject: Federal Register Notice August 31, 1983 to
LIA Registrants and Applicants
Triangle LFN-56C
EPA Registration No. 1842-264
Triangle 3-3
EPA Registration No. 1842-265
Triangle LFN 25% W/L
EPA Registration No. 1842-267
Triangle LFC "6"
EPA Registration No. 1842-268 ✓
Your Applications Dated October 19, 1983

The labeling referred to above, submitted in connection with
registration under the Federal Insecticide, Fungicide and Rodenticide Act,
as amended, is acceptable. A stamped copy is enclosed for your records.

Regarding EPA Registration Numbers 1842-265 and 1842-268, revise the
re-entry time to read "48 hours" instead of "24 hours."

Before you release the product for shipment, submit to us final
printed labeling for the above named products.

Sincerely yours,

Jay L. Blotterger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (58-707)

Enclosure

11-11-83 1842-264 265 267 268

SEARCHED							
SEARCHED	SERIALIZED	INDEXED	FILED	DATE	TIME	BY	AGENCY

EPA Form 1360-1 (4-81) OFFICIAL FILE COPY