



DANGER — POISON — PRECAUTIONS




DO NOT SWALLOW

POISONOUS IF SWALLOWED
This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



DO NOT BREATHE

POISONOUS IF BREATHED
Breathing vapors, spray mist or dust may be fatal.

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed and foodstuffs. **KEEP AWAY FROM HEAT AND OPEN FLAME.**

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.** This product is highly toxic to Bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U.S. Bureau of Mines for endrin and methyl parathion.

WORK SAFETY RULES


Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smoke.)

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.



MIGHTY TO

STOP — READ LABEL BEFORE USING

POISON DANGER



Keep Out Of Reach Of Children

See Side Panels for Antidote & Precautions
NOT FOR HOME USE

DO NOT SPILL NEAR OPEN

EACH GALLON 8 POUNDS TOX 2 POUNDS MET

EPA Est. No. 184 EPA Reg. No. 18

Net Contents

ACTIVE INGREDIENTS:

| | |
|-----------------------------------------------------|---------------|
| *Toxaphene | 66.6% |
| **O, O-dimethyl O-p-nitrophenyl thiophosphate | 16.8% |
| Aromatic Petroleum Distillate | 13.6% |
| INERT INGREDIENTS..... | 3.0% |
| Total | 100.0% |

*Technical Chlorinated Camphene (Chlorine Content 67% to 69%)
**Methyl Parathion

Manufactured by **TRIANGLE CHEMICAL COMPANY** Macc

MIGHTY

ACCEPTED
MAY 1 1975

POISON

DANGER



Keep Out Of Reach
Of Children

See Side Panels
for Antidote &
Precautions

DO NOT USE, POUR
SPILL OR STORE
NEAR HEAT OR
OPEN FLAME

EACH GALLON CONTAINS:
8 POUNDS TOXAPHENE
2 POUNDS METHYL PARATHION

EPA Est. No. 1812-Ga-1
EPA Reg. No. 1812-273

Net Contents: **Gals.**

..... 66.6%
rophenyl
..... 16.8%
..... 13.6%
..... 3.0%
..... 100.0%
imphene
(9%)

Y **TRIANGLE CHEMICAL COMPANY** Macon, Ga.

POISON POISON
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils. **Endrin poisoning may also result in central nervous system stimulation with hyperirritability, convulsions, and/or coma.**

FIRST AID TREATMENT

SYMPTOMS OF POISONING—A sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. If breathing has stopped start artificial respiration and maintain until doctor sees victim.

TREATMENT—In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE—Methyl Parathion exerts muscarinic-like effects i.e. stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine or tranquilizers to patients suspected of Parathion poisoning. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives, but this drug should be considered only if complete Atropinization fails to relieve symptoms. Refer to "Clinical Handbook of Economic Poisons." 2-PAM is also antidotal and may be administered in conjunction with atropine.

GENERAL DIRECTIONS

Mighty is a spray mixture of MIGHTY 10 and 2-PAM. It is a contact insecticide. It is used to control flying insects, such as house flies, mosquitoes, and other pests. It is also used for control of ticks and fleas on animals. It is not to be used on plants or in the home.

DIRECTIONS FOR USE ON CATTLE

MIGHTY 10 may be applied by the use of equipment on aircraft. For ground application, dilute in sufficient water to give appropriate coverage. For aerial application, dilute in 10 to 15 gallons of water per acre.

Early Season Program—including flies, ticks and fleas—apply 1/2 pint per acre. Make three applications at 7 day intervals starting at the fly, tick, or flea stage. For thrips, apply 1/2 pint per acre. For ticks, apply 1/2 pint per acre.

Mid Season Insects—For wintering up, apply 1/2 pint per acre. For control of ticks and fleas, apply 1/2 pint per acre. Make repeat treatments at 7 day intervals.

Late Season Control—For 2-PAM, apply 1/2 pint per acre. For control of ticks and fleas, apply 1/2 pint per acre. For control of thrips, apply 1/2 pint per acre.

Caution—Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours after application should wear protective clothing. Do not graze dairy animals or animals to be bled for slaughter in treated areas.

DIRECTIONS FOR USE ON SCREANS

Apply 2 parts of MIGHTY 10 per acre. For control of house flies, apply 1/2 pint per acre. For control of ticks and fleas, apply 1/2 pint per acre. For control of thrips, apply 1/2 pint per acre.

Control of Armyworms—Apply 1/2 pint per acre. For control of ticks and fleas, apply 1/2 pint per acre. For control of thrips, apply 1/2 pint per acre.

FOR ARMYWORM CONTROL IN SMALL GRAINS

Apply 1/2 pint per acre. For control of ticks and fleas, apply 1/2 pint per acre. For control of thrips, apply 1/2 pint per acre.

MIGHTY 10

Keep Out Of Reach
Of Children
See Side Panels
for Antidote &
Precautions

DO NOT USE IF YOU
SPILL OR STORE
NEAR HEAT OR
OPEN FLAME

EACH GALLON CONTAINS
8 POUNDS TOXAPHENE
2 POUNDS METHYL PARATHION

NET CONTENTS
EACH GALLON

Net Contents: Gals.

POISON **POISON**
A PESTICIDE WHICH KILLS INSECTS AND WEEDS
KILLS ALL INSECTS, TREES, AND PLANTS AND...

POISON SIGNS (Symptoms)

WARNING: SYMPTOMS include weakness, headache, tightness in chest, dizziness, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation, and difficulty breathing. Endrin poisoning may also result in central nervous system stimulation with hyperreflexia, tremors, and convulsions.

FIRST AID TREATMENT

SYMPTOMS of poisoning are usually mild and disappear within 24 hours. Vomiting and diarrhea should be induced if necessary. Do not induce vomiting if patient is unconscious.

TREATMENT in case of poisoning is to induce vomiting if patient is conscious. If swallowed, give vomiting agent. If inhaled, get patient to fresh air. If on skin, wash with soap and water. If in eyes, flush with water. If in mouth, wash with water. Do not induce vomiting if patient is unconscious.

PHYSIOLOGY: Both Methidathion and Toxaphene are neurotoxic. Methidathion acts on the central nervous system, disrupting the normal function of the brain. Toxaphene acts on the central nervous system, disrupting the normal function of the brain. Both are highly effective against a wide range of insects and weeds.

GENERAL DIRECTIONS

Use only as directed. Do not use on food crops. Do not use on lawns or ornamentals. Do not use on plants that are stressed or damaged. Do not use on plants that are in bloom. Do not use on plants that are in fruit.

... 56.6
... 16.8
... 13.6
... 3.0
... 100.0
... mphenic
... 9%