



POISON

**DANGER:** Keep Out of Reach of Children.

**DANGER — POISON — PRECAUTIONS**



**DO NOT SWALLOW**

**DO NOT TOUCH**

**DO NOT BREATHE**

**POISONOUS IF SWALLOWED**  
This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**  
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

**POISONOUS IF BREATHED**  
Breathing vapors, spray mist or dust may be fatal.

**DANGER**

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor.

Repeated inhalation or skin contact may, without symptoms progressively increase susceptibility to parathion poisoning.

Clothing wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention or they may die.

Do not contaminate feed or foodstuffs.

**KEEP AWAY FROM HEAT AND OPEN FLAME.**



**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.**

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U. S. Bureau of Mines for parathion.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital - immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**CONTAINER DISPOSAL**

Do not reuse empty containers.

Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning (Keep out of smoke).

**NOTICE OF WARRANTY**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.


pains. Vomiting and diarrhea.

**TREATMENT:** In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

**PHYSICIANS NOTE:** Methyl Parathion and Ethyl Parathion exert muscarine-like effects, i.e., stimulation of the para sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give n...ine to patients suspected of Parathion Poisoning. Refer to "Clinical Handbook On Economic Poisons"

**DIRECTIONS FOR USE**

**PEANUTS** - To control CORN ROOTWORM larvae (including southern corn rootworm) apply 20 to 25 pounds per acre as a row soil treatment at planting or pegging. Incorporate lightly into soil. For SOUTHERN CORN ROOTWORM, apply as a preplant broadcast soil treatment and incorporate into top 4 to 6 inches of soil, or apply as a band treatment over the fruiting zone just prior to pegging. To control LESSER CORNSTALK BORER, apply 20 to 25 pounds per acre in a 12 to 14 inch band over row just prior to or after pegging. If applied before pegging, incorporate into top few inches of soil. If applied after pegging, apply before irrigation and thoroughly water into the soil. To control WHITEGRUBS, apply 20 pounds per acre broadcast before planting. Incorporate into top 3 inches of soil. To control WIREWORMS, apply 30 pounds per acre to the row at time of planting or pegging. Incorporate lightly into soil.



Caution: Do not graze Dairy Animals or Animals being finished for slaughter

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use or store crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected animals or to feed crops.

Manufactured by **TRIANGLE CHEMICAL COMPANY** Macon, Georgia

Net Weight 50 pounds

EPA Reg. No. 1842-276