[864-14]

NET FIVE U. S. GALLONS

DIRECTIONS FOR USE

To develop an effective repellency to stable flies, horn flies, mosquitoes and gnats on dairy cows, apply 1 to 2 ounces to each animal daily for a three day period. The spray should be applied with a sprayer having adequate power to give the animal's entire body thorough and uniform coverage. Special care should be used in spraying the legs, belly and shoulders. Avoid areas around the nose, eyes and mouth. Avoid wetting the hide.

After the three day treatment has been completed, spray again in the same manner after two days have elapsed, and every second a sy thereafter, or when insects again disturb the mimal. Be sure the teats and udder are washed with warm water prior to milking. Calves should be sprayed very lightly once a day instead of attempting to build up a residual repellency by spraying more heavily.

To kill flies, mosquitoes and gnats in the barn prior to milking, close all doors and windows and direct the spray toward the ceiling. The barn should remain closed for 10 to 20 minutes. Sweep up and destroy fallen insects. Repeat as necessary.

For treating <u>dairy</u> and beef cattle and horses, this product should be applied as a mist spray.

KILLS FLIES, MOSQUITOES, GNATS

Pyrethrins

ACCEPTED

UNIMENTS

1970

22 REGISTER.

TE ALT

UBJECT

N octyl bicyclohepterie a carboximide

CAUTION

10 20 Piperonyl butoxide Technical* 34 D n propil isocin home conte .10 Petroleum Distillate 98 47 10101 '00 00 ' * Consists of 16 , while robits to represent the athis end r 1 inlated rompount CLEVELAND OHIO CENTRAL PETROLEUM CO. WALCOTT, IOWA

WYLE





E.P.A. REG. No. 1864-14 BARN and STOCK SPRAY

KEEP OUT OF REACH OF CHILDREN

See caution on side panel **READ DIRECTIONS BEFORE USING**

100% ACTIVE INGREDIENTS

AN AID TO INCREASED PRODUCTION

IMPORTANT — Use only as directed

Kills and repels horn flies, stable flies, mosquitoes and gnats. When applied as directed, the repellent effect against these insects will last a full two days. SUPER 100 Stock Spray acts quickly and efficiently to reduce the insect problem. It drives them away -- keeps them away — and kills any that remain behind. It is easy to spray, never stains, leaves hide and hair in good condition and will not clog the sprayer.

CAUTION

Keep container tightly closed and out of reach of children. Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, food stuffs or water.

Apply with sprayer only. Do not spray on or near open flame. Avoid contamination of milk and milk handling equipment. Avoid overspraying which would result in wetting animals' hides.

DO NOT SPRAY NEAR OR TOWARD AN OPEN FLAME

CAUTION: Do not reuse empty pail. Return to pail reconditioner or destroy by perforating or crushing and burying in a safe place.

E.P.A. REG. No. 1864 14 BARN and STOCK SPRAY

CAUTION KEEP OUT OF REACH OF CHILDREN See caution on side panel

READ DIRECTIONS BEFORE USING

100°C ACTIVE INGREDIENTS

		()
Pyrethrins	.10%	
Piperonyl butoxide, Technical*	.20%	
N-octyl bicýcloheptene dicarboximide	.33%	
Di-n-propyl isocinchomeronate	.40%	• ,
Petroleum Distillate	98.97 %	• • • •
Total	100.00 %	

* Consists of .16 % (butylcarbityl) (6-propypiperonyl) ether and .04 % related compounds.

ID, OHIO, CENTRAL PETROLEUM CO. WALCOTT, IOWA

ast a full two is to see by is to see it

and milk ha opraying wh mals' hides.

DO NO1 TOWARI

CAUTION: D pail recondit or crushing **c**

