

# PLANTERS FLORIDA SHADE DUST 1 - 3 - 10

ACCEPTED

POISON



CONTAINING: 1% PARATHION - 3% THIODAN - 6.5% ZINEB

## ACTIVE INGREDIENTS:

Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate)	1.00%
Endosulfan (Hexachlorohexahydromethano-2, 4, 3-Benzodioxathiepin oxide)	3.00%
Zineb (Zinc Ethylene Bisdithiocarbamate)	6.50%
INERT INGREDIENTS:	89.50%
Total	100.00%

\*Thiodan - U. S. Patent No. 2,799,685

## DIRECTIONS FOR USE ON SHADE TOBACCO

For the control of Blue Mold, Aphids, Thrips, Flea Beetles, Vegetables Weevils, Slugs, Budworms, Hornworms, Cabbage Loopers. Apply at the following rates. **IN THE BED.** Apply 2 to 4 lbs. per 100 square yards when plants are the size of a dime and before Blue Mold appears. Dust every 3 days. **IN THE SHADE.** Apply weekly, or as needed, at 20 to 30 lbs. per acre, depending on size of plants.

**CAUTION:** Do not apply to tobacco within 5 days of priming or 15 days of cutting. Workers should wear gloves where applications have been made within 30 days of cutting. Avoid plant juices coming in contact with the skin or other parts of the body when engaged in cutting the crop. "Florida Shade Dust" is formulated with "Lignoflex" a special Pecan Hull Flour Diluent approved for use of Shade Tobacco.

## WARNING

May be fatal if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin! Do not breathe dust. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Workers entering a treated field within 5 days of an application should wear protective clothing. Do not contaminate feed or foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Toxic to fish and wildlife. Do not contaminate any body of water with this material by direct application, cleaning of equipment or disposal of wastes and containers; nor apply to any area not specified on label. Do not graze dairy animals or animals being finished for slaughter on fields which have received late application of this insecticide. To prevent re-use completely empty bags and dispose of waste pesticide by burying. Burn bags immediately and stay out of smoke. Bury ashes.

## PHYSICIANS' NOTE

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING! If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets each (1/100 gr.) at once. Remove patient immediately from the area where Parathion is present. Remove all contaminated clothing and wash skin clean with plenty of soap and water to remove all traces of parathion. If swallowed, induce vomiting by giving warm salty or soapy water.

## FIRST AID TREATMENT

Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

## TREATMENT

Give atropine, preferable by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

## ANTIDOTE


ATROPINE IS AN ANTIDOTE. Consult Physician For Emergency Supply. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Seller makes no warranty of any kind, express or implied, concerning the use of this product. Buyer assumes all risks of use or handling whether in accordance with directions or not.

**DANGER** KEEP OUT OF REACH OF CHILDREN

USDA REG. NO. 865-227

NORFOLK, VA.



ALBANY, GA.

ESTABLISHED 1908  
FAYETTEVILLE, N. C.