

FARMCRAFT

LINDANE 2E

Active Ingredients:
 LINDANE Gamma Isomer of Benzene Hexachloride 21.0%
 XYLENE RANGE AROMATIC HYDROCARBONS 12.0%
 Inert Ingredients 4.0%

Contains 2 lbs. Lindane per Gallon
 EPA Reg. No. 107174

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be irritating to eyes. Avoid inhalation and skin contact. Wash thoroughly with soap and water after use. Do not use on household surfaces.

concentrate to approximately 1% solution. Stir thoroughly before use. Use 20 to 100 gallons of water per acre in ground sprayers and 10 to 20 gallons per acre in backpack sprayers. For more information, contact your State Agricultural Extension Service or your local county agent.


VEGETABLE SOIL APPLICATIONS

1. Broccoli, Brussels Sprouts, Cauliflower and Strawberries, to control Brachymeria and larvae and larvae, apply 1 gallon (2 lbs. actual Lindane) per acre. Apply and incorporate immediately by rototilling or discing in at least two directions. Do not apply to land where root vegetables may subsequently be grown.

VEGETABLE TREATMENT

2. Broccoli, Brussels Sprouts, Cauliflower, Cabbage and Cucumbers, to control Aphids, Cucumber beetles, Flea beetles, Leaf hoppers and Thrips apply 1 pint per acre when insects first appear. Do not apply to plants when they start to form.

Do not use on plants that are stressed, injured, or diseased, or on decaying or crusting and oozing in a same plant.



PTED
 74
 ALL INSECTICIDE
 ANTICIDE ACT
 REGISTER
 107174
 SUBJECT