1910-1 New Label: Page 1 of 2

MANGE TREA

For Control of Sarcoptes (Itch) Mites Which Cause Mange in Dogs

Keep Out of Reach of Children CAUTION

See side panel for additional precautionary statements.

For External Use Only

6 fluid ounces

ACCEPTED

MON

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 910-1 BPA Reg. No. /

ide Panels}

READ ENTIRE LABEL BEFORE EACH USE **USE ONLY ON DOGS** DO NOT USE ON CATS OR RABBITS

ACTIVE INGREDIENT:

Benzyl Benzoate	36%
OTHER INGREDIENTS	64%
Total	100%

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contamination of food and foodstuffs. Use only as directed. May be absorbed through the skin. Wash hands thoroughly after using on dog. Harmful if swallowed. Avoid contact with skin. Animals: Do not get into eyes. Do not apply to nursing bitches or puppies under 12 weeks of age. Do not use on sick or convalescing animals. Consult a veterinarian before using this product on debilitated, aged, pregnant or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue consult a veterinarian immediately.

First Aid

If Swallowed:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If on Skin	Take off contaminated clothing.
or Clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.

contact 1-800-xxx-xxxx for emergency medical treatment information.

Physical or Chemical Hazards

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Replace cap immediately after use. Do not expose to elevated temperatures. Avoid freezing. Disposal: Do not reuse empty container; wrap and discard in trash.

1910-1 New Label: Page 2 of 2

Apply Mange Treatment with a swab and rub in thoroughly. Apply once a week until condition clears up. If no improvement is noted within 10 days, consult a veterinarian.

Provide clean disinfected sleeping quarters by using a disinfectant according to label directions.

Do not apply to areas equivalent to more than 1/3 of the body at one time. Treat such areas on alternate days.

LeGear
a division of
Goodwinol Products Corporation
41710 Weld Co. Rd. 29 Pierce, CO 80650

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}