

PM 04

1910-2

9/2/97

43



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

SEP 2 1997

Kim Davis  
RegWest Company  
P.O. Box 2220  
Greeley, CO 80632-2220

Subject: Label Revisions per Carbaryl Notice Dated 1 Oct 1996  
Fly Repellent Spray  
EPA Registration No. 1910-2  
Amendment dated July 21, 1997

Dear Ms. Davis:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below before you release the product bearing the amended labeling:

1. In the second paragraph under "DIRECTIONS FOR USE" the sentence that currently reads "From a distance of 6 to 12 inches, apply spray.....and topline" should be changed to "Wearing household latex or rubber gloves, from a distance of 6 to 12 inches, apply spray.....and topline".
2. In the same paragraph as above add the statement "This product should not be applied by children" after the sentence "Application should be liberal for best residual results".

Submit two copies of your final printed labeling for the above product before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the above label is enclosed for your records.

Sincerely,

A handwritten signature in cursive script that reads "George Tompkins".

George Tompkins, Ph.D., Entomologist  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

# FLY REPELLENT SPRAY

## ACTIVE INGREDIENTS:

Carbaryl .....	1.00%
Pyrethrins .....	0.18%
*Piperonyl Butoxide, Technical .....	1.80%
Butoxypolypropylene glycol .....	10.00%
<b>INERT INGREDIENTS:</b> .....	<u>87.02%</u>
	100.00%

\*Equivalent to 1.44% (butylcarbityl)(6-propylpiperonyl) ether and 0.36% related compounds.

**Keep Out of Reach of Children  
CAUTION**

See side panel for additional precautionary statements.

EPA Reg. No. 1910-2      EPA Est. \_\_\_\_\_

\_\_\_\_\_ fl. oz. ( \_\_\_\_\_ mL) \_\_\_\_\_

Sold by  
**GOODWINOL PRODUCTS CORP.**  
P.O. Box 407, Pierce, CO 80650

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

SEP 2 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1910-2

[Back Panel]

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Livestock remedy. Do not apply to humans. For external use only. Use only on show, race, work or pleasure horses. Do not use on horses intended for slaughter. Fly Repellent Spray is a ready-to-use product designed to protect horses and ponies from biting and nuisance insects. *Kills and repels:* ticks, lice, stable flies, horn flies, houseflies, face flies, horse flies, deer flies, bot-flies, mosquitoes, fleas and gnats. *Conditions:* Inert ingredients contain coat conditioning agents. *Deodorizes:* Inert ingredients contain a deodorizing agent.

Remove excess dirt and dust by brushing coat. Extremely dirty horses/ponies should be shampooed, rinsed and the coat allowed to dry before application. Apply product outdoors or in a well-ventilated area. From a distance of 6 to 12 inches, apply spray directly to animal's coat giving particular attention to legs, shoulders, flanks, neck and topline. For best results, apply against the lay of the hair. Do not spray into nostrils or eyes, or on genitalia. To treat face, dampen a cloth with spray and rub on face and head, being careful to avoid eyes. Apply approximately 1 to 2 ounces per animal, depending upon animal size, using a sufficient amount to thoroughly wet animal's coat. Application should be liberal for best residual results. Under conditions of light insect pressure, apply every two to four days. May be applied daily, under conditions of heavy insect pressure, or at intervals necessary to give continued protection. Reapply each time the animal is washed or exposed to heavy rain. Environmental conditions, such as temperature and humidity, and cleanliness of animal's coat will affect the amount of product required to do an effective job. It may be necessary to experiment with the amount applied and the treatment interval in order to achieve optimum effectiveness.

## STORAGE AND DISPOSAL

[For containers greater than 1 gallon:]

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from heat and open flame. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[For containers 1 gallon or less:]

**Storage:** Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from heat and open flame.

**Disposal:** Do not reuse empty container; wrap and put in trash.

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with eyes or clothing. Wash hands after applying. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. Atropine is antidotal. Consult a veterinarian before use on pregnant or nursing mares or on young horses or after first sign of any adverse reaction.

**User Safety Requirements**

- ▶ Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- ▶ Change clothing as soon as possible after use.
- ▶ Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

**Statement of Practical Treatment**

**If Swallowed:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Contact a physician or poison control center immediately. Do not induce vomiting nor give anything by mouth to an unconscious or convulsing person. **If Inhaled:** Remove person to fresh air and apply artificial respiration if indicated. Contact a physician if warranted. **If In Eyes:** Flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists. **If On Skin:** Wash with soap and water. Get medical attention if irritation persists.

**Physical or Chemical Hazards**

Flammable. Keep away from heat or open flame.

**Environmental Hazards**

This product is toxic to birds and aquatic and estuarine invertebrates. Do not apply directly to water.

Lot No. on bottom of container.