

SEE ANTIDOTES AND PRECAUTIONS ON BACK PANEL

CALL PHYSICIAN AT ONCE

Will not harm drain pipes, septic tanks or cesspools DEATH OPENER

IMPORTANT: Read entire label before using. Keep water out of can at all times to precontainer away from face, tear out inner container away from face, tear out inner down nearest drain and flush with COLD water. Be sure can is empty before discarding. Never add water to can. Do not incinerate. Never use a plunger or plug the drain when using DRANO, Store in cool dry place.

## **HOW TO USE DRĀNO**

Never use in garbage disposer, dishwasher or toilet bowl or pipes directly connected to such devices. Keep Drano and solutions of Drano off aluminum utensils, wood, painted surfaces, and floor coverings.

TO UNCLOG OR CLEAN DRAINS. Remove any standing water. Make sure water in drain is cool. If possible remove drain firmly push down on center of cap with traps.

vent contents from erupting or boiling out. seal and throw away. Pour a heaping table-In cases of spills, sweep into dust pan, empty spoon of Drano into drain pipe and close lid -on can. Pour one cup of COLD water into drain. Rinse spoon immediately after using. If water boils up out of drain add another cup of COLD mater. After 15 minutes, flush drain with COLD water. If drain is still clopped, repeat application. Do not repeat a third time.

> FOR FLOOR DRAINS OR OTHER LARGE DRAINS, follow the same procedure, but increase Drano amount to 3 heaping tablespoons and then pour in 3 cups of COLD water.

ONCE IN EVERY WEEK, DRAND IN EVERY DRAIN to keep drains free-running, And strainer. To open the lock cap, carefully but every time it's used, Drano sanitizes drain

**a**.

PRECAUTIONS—READ BEFORE USING

DANGER Contains sodium hydroxide (caustic soda-lye). Corrosive: causes severe eye and skin damage. Keep DRANO and solutions of DRANO away from eyes, skin and clothing; fon't get it on you. Always keep out of reach of children. Harmful or fatal if swallowed.

ANTIDOTES EYES — immediately flood with water for at least 20 minutes. Follow with 5% Boric Acid solution. INTERNAL -- If swallowed do not induce vomiting. Give vinegar or juice of lemon, orange or grapefruit freely. Followwith olive oil, butter, or other cooking oil. EXTERNAL — Flood with water, then wash with vinegar. CALL PHYSICIAN AT ONCE

🚛 🕒 1971 THE DRACKETT PRODUCTS COMPANY, CINCINNATI, OHIO 45232, U.S.A. DISTRIBUTOR Manufactured under one or more of the following patents: U.S. Patent No. 2,816,012, EPA Reg. No. 1913-9-AA. U.S. Patent No. 3,135,441 and U.S. Patent No. 3,484,016. Other patent MADE IN U.S.A.

1913-9

PANTUNE YELLOW

MATCH COLORS OF PREVIOUS CAN