Dispense from electric or hand sprayer, or in vaporizing or fog generator. For control of named insect pests in institutions, hotels, restaurants, school cafeterias, home hospitals, clubs, and food processing plants.

For most effective results, use in a good sprayer. Follow manufacturer's recommendations. Remove or cover all food during treatment. Cover all food processing surfaces during treatment and wash them before plant goes back into operation.

### MILL SPRAY KILLS BY CONTACT:

Roaches Ants Crickets Silverfish Spiders Gnats Sand Flies Skippers

Small Flying Moths Carpet Beetles Drug Store Beetle **Cigarette Beetle** Angoumois Grain Moth Flies Mosquitoes Wasps

Hornets Mediterranean Flour Moth Rice Weevil \*Confused Flour Beetle <sup>®</sup>Granary Weevil \*Cadelle \*Saw Toothed Grain Beetle \*Meal Worms

Control of these insects is limited to exposed stages.

### **DIRECTIONS:**

FLYING INSECTS: For control of small flying moths, flies, mosquitoes, gnats, wasps, hornets, direct the spray toward the upper postion of the room, filling it with mist-Use 1 ounce per 1000 cubic feet. Keep the room closed for 10-15 minutes, and sweep up and destroy fallen insects. Ventilate the area after treatment is completed. Repeat treatment as necessary.

WASPS AND HORNETS: Application should be made in late evening when insects are at rest. Spray into hiding and breeding places, contacting as many insects as possible.


ANTS AND ROACHES: Direct contact of the insect with the spray, in addition to thorough spraying of all parts of the room suspected of harboring these pests should be made. Special attention should be given to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Treatment of doors, windows, and ant trails is emphasized for the control of ants. Repeat treatment as necessary.

SILVERFISH: Application should include frequent and repeated spraying of baseboards, windows, door frames, book cases and storage areas. Direct contact of the insect is emphasized for adequate control of this pest. Repeat treatment as necessary.

CRICKETS: Application should be made by thorough and repeated treatment behind stoves, refrigerators, under cabinets, in food storage areas and especially in closets. Emphasis should be placed on directly contacting the pest with the spray. Repeat treatment as necessary.

SPIDERS: For control of these pests, liberal and repeated application should be made to the individual pest.

RPET BEETLES: In all cases these pests ar⊢ to be directly contacted with spray to stain adequate control. For application to upholstered furniture, provide for a thorough treatment of the interior as well as exterior of the furniture. Both the top surface and underside of rugs and carpets should be sprayed thoroughly. Shelves, closets, areas under furniture and wherever these insects are seen or suspected should be treated. When carpet beetles are a serious problem, it is recommended that an accepted residual type insecticide treatment be applied. In all cases the treatment should be repeated as necessary.





FLEAS: Liberal application should be ma and wherever these insects may be su area applications, to insure contact of control.

**BROWN DOG TICKS:** Directly contact the should be made to floors, floor coveri especially sleeping areas of animals. The thoroughly treated and allowed to dry bef

STORED PRODUCT INSECTS:	
Mediterranean Flour Moth	Angoumois
Drug Store Beetle	Rice Weev
Cigarette Beetle	Confused
	Granary V

For control of the above named accessi of all infested products. Shelves and dr so as to contact all pests, and covered w Any utensils that are contacted with spra For industrial and commercial type appli be fumigated with an accepted product apply the product liberally. Repeat treatm

## CAUTION: KEEP OUT

Harmful if swallowed, inhaled breathe spray mist. Wear mask by U. S. Bureau of Mines to material.

Wash hands, arms and face wi before eating or smoking.

Do not remain in treated areas completed.

Do not contaminate or store i be removed or covered during should be covered during tre using. When using the produc facility is not in operation.

Remove pets, birds, and cover

**ENVIRONMENTAL CAUTIONS:** This product is toxic to fish. Do not contaminate water by wastes. Apply this product only

Do not reuse empty container. Bury or discard in a safe place

WARRANTY: The Manufacturer and Selle chemical description and is reasonably used in accordance with directions und warranty, nor any other warranty of merc express or implied, extends to the use or under abnormal conditions, or under seller, and buyer assumes the risk of any

# NAVY BRAND **MILL SPRAY**

1 1 2

3 5 3

ACTIVE INGREDIENTS 100%		
Petroleum Distillate 99.046%		
*Technical Piperonyl Butoxide		
Pyrethrins		
Pyrethrins		
THIS FORMULA MUST BE APPLIED BY TRAINED OPERATORS ONLY		
[]		



1,

FLEAS: Liberal application should be made to floor, floor coverings, cracks, crevices, and wherever these insects may be suspected or harboring. Liberal and repeated area applications, to insure contact of all pests with the spray, are necessary for control.

BROWN DOG TICKS: Directly contact the pest with the spray. Liberal applicatio. s should be made to floors, floor coverings, bases of walls, cracks, crevices, and especially sleeping areas of animals. The bedding of the animal quarters should be thoroughly treated and allowed to dry before replacing. Repeat treatment as necessary. s is limited to exposed stage

STORED PRODUCT INSECTS:	Control of these insects
Mediterranean Flour Moth	Angoumois Grain Moth
Drug Store Beetle	Rice Weevil
Cigarette Beetle	<b>Confused Flour Beetle</b>
	Granary Weevil

For control of the above named accessible stored product insects in homes, dispose of all infested products. Shelves and drawers should be cleaned, thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be warned before using. For industrial and commercial type applications, infested stored food products should be fumigated with an accepted product or to kill accessible stages of these pests, apply the product liberally. Repeat treatment as necessary

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe spray mist. Wear mask or respirator of a type recommended by U. S. Bureau of Mines to give adequate protection against this material.

Wash hands, arms and face with soap and water after handling, and before eating or smoking.

Do not remain in treated areas. Ventilate the area after treatment is completed.

Do not contaminate or store near feed or foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds, and cover fish aquariums before spraying.

### **ENVIRONMENTAL CAUTIONS:**

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

WARRANTY: The Manufacturer and Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty, nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to selle, and buyer assumes the risk of any such use.

Cadelle Saw-Toothed Grain Beetle Meal Worms

ACCEPTED WITH COMMENTS

U. S. Gallons Net Contents: