

ACCEPTED
 Nov 22, 1967
 UNDER THE FEDERAL INERTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTION CONTROL
 TO ALL STATES



DIRECTIONS: Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform cover of the area to be treated. Measure out the proper amount and apply.

EQUIPMENT: Power sprayers, compressed air hand sprayers, knapsack sprayers or an ordinary sprayer can be used to apply. No dilution or agitation is required.

WARNING
 HARMFUL IF SWALLOWED OR
 ABSORBED THROUGH SKIN.
 CAUSES SKIN IRRITATION.
 SEE SIDE PANEL FOR FURTHER
 CAUTION STATEMENTS.
 KEEP AWAY FROM CHILDREN

1926-39 **QUICK VEGETATION
 KILLER and
 SOIL STERILANT**

ACTIVE INGREDIENTS:	
Petroleum oil	96.10%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.07%
Dropanol (2-bromo-3-sec-butyl-2-methylbutanol)	0.61%
Pentachlorophenol	0.80%
Other chlorophenols	0.67%
INERT INGREDIENTS:	
Total	100.00%
*2,4-Dichlorophenoxyacetic acid equivalent	0.70%

GENERAL INFORMATION

A liquid total killer to be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions. Noncorrosive and low in toxicity to man and animals.

BEST DOCUMENT AVAILABLE

CAUTION: KEEP OUT OF REACH OF CHILDREN

165-45-2

Tested and approved by Soil Con Assoc.
 Testing Laboratory and approved Class A.

REGISTERED TRADE NAME (OR TRADE NAME)

ACCEPTED
 Nov 22, 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTION REGISTRATION
 TO ATTACHED LABELING



BEST DOCUMENT AVAILABLE

Apply any time of year
 if the ground is frozen.
 are obtained after pro-
 species are well estab-
 late spring or early sum-
 treating, calibrate equip-
 ure uniform cover of the
 treated. Measure out the
 amount and apply.

Power sprayers, com-
 mand sprayers, knapsack
 an ordinary sprayer can
 apply. No dilution or agi-
 tulated.

IF SWALLOWED OR
 D THROUGH SKIN.
 SKIN IRRITATION.
 PANEL FOR FURTHER
 STATEMENTS
 AWAY FROM CHILDREN

1926-39 **QUICK VEGETATION
 KILLER and
 SOIL STERILANT**

ACTIVE INGREDIENTS:	
Petroleum oil	96.10%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.07%
Bromacil (5-bromo-3-sec-butyl-2-methyluracil)	0.61%
Pentachlorophenol	0.00%
Other chlorophenols	0.07%
INERT INGREDIENTS:	
Total	100.00%
*2,4-Dichlorophenoxyacetic acid equivalent	0.70%

GENERAL INFORMATION

A liquid total killer to be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions. Noncorrosive and low in toxicity to man and animals.

CAUTION:

Do not apply liquid directly to, or otherwise permit it to come into contact with susceptible plants, such as vegetables, flowers, fruit trees, ornamentals, cotton, grapes, or other desirable plants and do not permit spray nozzles containing it to drift onto them. (Coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (do not use same spray equipment for other purposes). Do not store near fertilizers, seeds, insecticides, or fungicides. Do not contaminate waters used for irrigation or domestic purposes. Do not reuse this container for other materials without thorough cleaning.
CAUTION: Harmful if swallowed or absorbed through skin! Causes skin irritations! Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothes! Wash thoroughly after handling. In case of contact, wash skin with soap and water; for eyes, immediately flush with large amounts of water for at least 15 minutes and get medical attention. Remove and wash contaminated clothing before re-use.

GENERAL WEED CONTROL:

To control most weeds for an extended period of time on noncropland areas such as parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 2 to 5 gals. per 1,000 sq. ft. treated (20 to 200 gals. per acre).
 To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, chickweed, barnyard grass, pigweed, and other weeds and turkey tailgrass, apply 1 to 2 gals. per 1,000 sq. ft. (10 to 20 gals. per acre).
 For other HARD TO KILL perennial weeds and grasses such as Johnsongrass, nutgrass, quackgrass, etc., treat in late fall or early spring, apply 2 to 5 gals. per 1,000 sq. ft. (20 to 200 gals. per acre).
 To control perennial weeds and grasses, such as smooth brome, Canada bluegrass, purple top, quackgrass, and other weeds and grasses, apply 2 to 4 gals. per 1,000 sq. ft. (20 to 40 gals. per acre).

CAUTION: KEEP OUT OF REACH OF CHILDREN

BEST DOCUMENT AVAILABLE

Tested and approved by Soil. Res. Assoc.
 Testing Laboratory and approved Class A.

ACCEPTED
 Nov 22, 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTRATION
 UNDER NO. 1926-39
 TO APPLICANT [unreadable]



DIRECTIONS: Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform cover of the area to be treated. Measure out the proper amount and apply.

EQUIPMENT: Power sprayers, compressed air hand sprayers, knapsack sprayers or an ordinary sprinkler can be used to apply. No dilution or agitation is required.

WARNING
 HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. SEE SIDE PANEL FOR FURTHER CAUTION STATEMENTS. KEEP AWAY FROM CHILDREN

1926-39 **QUICK KILLER SOIL**

ACTIVE INGREDIENTS:

Petroleum oil	96.10%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.07%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.61%
Pentachlorophenol	0.80%
Other chlorophenols	0.07%
INERT INGREDIENTS:	1.31%
Total	100.00%
*2,4-Dichlorophenoxyacetic acid equivalent	0.70%

CAUTION: RISK OF

165 - 45 - 2

Tested and approved by Sanitation Assoc. Testing Laboratory and approved Class A.

U.S. PAT. NO. 2,722,222

MANUFACTURER