

**FOR SWIMMING POOLS... SANITIZER  
FOR LOCKER ROOMS... FOR USE IN INDUSTRIAL  
RECIRCULATING WATER COOLING TOWERS...**

**SWIMMING POOL ALGAEICIDE:**

1. If algae growth is observed, add 1 gallon ALGAEICIDE for each 10,000 gallons of water to kill and control those algae species most commonly found in swimming pools.
2. When existing growth is dead and algae have withered, clean the pool, draining and refilling if necessary. Add 1 gallon ALGAEICIDE for 25,000 gallons of water.
3. If algae growth is absent, use no less than 1.5 gallons ALGAEICIDE for each 50,000 gallons of water.
4. Add 2 quarts of ALGAEICIDE per 50,000 gallons of water every 5-7 days to maintain between 2 and 5 parts per million of active ingredient. See serviceman for test kit.

**POOL SIDE SANITIZER OF HARD SURFACES:**

After cleaning surfaces, use 1.5 ounces of ALGAEICIDE to 4 gallons of water. With this solution, wipe, mop or scrub wet surfaces thoroughly.

EPA Reg. No. 1926-40  
EPA EST NO 1926-MO-1



**FOR SWIMMING POOLS... SANITIZER  
FOR LOCKER ROOMS... FOR USE  
IN INDUSTRIAL RECIRCULATING  
WATER COOLING TOWERS**

**ACTIVE INGREDIENTS: 7.31%**

n-Alkyl (60% C<sub>12</sub>, 30% C<sub>10</sub>, 5% C<sub>14</sub>, 5% C<sub>16</sub>)  
dimethyl benzyl ammonium chlorides

... 3.63%

n-Alkyl (50% C<sub>12</sub>, 30% C<sub>14</sub>, 17% C<sub>10</sub>, 3% C<sub>16</sub>)  
dimethyl ethylbenzyl ammonium chlorides

... 3.63%

**INERT INGREDIENTS: 92.74%**

**WARNING: KEEP OUT OF REACH OF CHILDREN**  
See side Panel for Other Precautions

Sold by

**navy brand<sup>®</sup>**  
manufacturing company

5111 Southwest Ave., St. Louis Mo. 63110-3496

**INDUSTRIAL RECIRCULATING WATER COOLING TOWERS.**

When ALGAEICIDE is used as directed, it will kill and prevent development of *Chlorella pyrenoidosa* (green), *Phormidium mundatum* (black algae), *Phormidium retzii* (Square D algae), *Lyngba versicolor* (blue-green).

Begin treatment when the system is in jeopardy of becoming affected, or after cleaning systems whose efficiency is already impaired. For best results, use system of organic debris if possible. If soap or anionic detergent is used, rinse thoroughly before charging with ALGAEICIDE.

**INITIAL DOSE:** Apply 0.28 to 0.55 gal. per 1000 gal. of water in the system (20-40 ppm of active ingredient). Apply at a point in the system where the product will be uniformly mixed. Repeat until control is achieved.

**PERIODIC DOSE:** When control is evident, add 0.07 to 0.21 gal. per 1000 gal. of water in the system, (5-15 ppm of active ingredient) about every 7 days, or sooner, should visible growth appear. Apply at a point in system where the product will be uniformly mixed.

**WARNING:  
KEEP OUT OF REACH OF CHILDREN**

Causes eye or skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

1061  
pm 31  
1926-40

Net Contents: U.S. Gallons

**ACCEPTED**

JUL 01 1987

U.S. Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1926-40