

ACCEPTED
NOV-13-1968
1726
45

O, O Diethyl O-(2-Isopropyl-4-Methyl-6-Pyrimidinyl)Phosphorothipate	0.500
Pyrethrins	.050
Technical Piperonyl Butoxide*	.262
Petroleum Distillate	95.238
Inert Ingredients	3.950

* CLASSIFIED BY 60364 H. V. CAHILL & PHIPPS
FOR FANV, 17 MAR 1964. (42) (U) AFB 60364-1000

USDA REG. NO. 1926-45

SOLD BY



**NAVY BRAND
MANUFACTURING COMPANY**

ST. LOUIS, MISSOURI 63133

Hold nozzle from 3 to 4 feet away from surface to be treated and spray across the surface about 1 or 2 feet per second so as to leave a wet surface.

For spot application only, spray cracks, crevices, baseboards and damp areas and other hiding places. Repeat as necessary.

Spray areas around frames, door and window sills and any other place where ants enter premises. Spray ant trails. Be sure and spray surfaces only. For spot application only — Repeat as needed.

Do not induce vomiting if taken internally.
Send for a physician.

Do not store at abnormally high temperatures. Remove birds, pets, fish, and children. Remove or cover food. Use in well-ventilated rooms or areas only.

Always spray away from you.

Avoid prolonged or repeated contact with skin. Wash thoroughly after using. Do not allow children in treated areas until surfaces are dry.

Do not stay in room that has been heavily treated.

Do not spray into the air. Avoid inhalation
If spray gets on skin—wash immediately
with soap and water.

KEEP OUT OF REACH OF CHILDREN

Net Contents 1 lb. 1 oz. av.