
DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Algatrol Z is used to control algae and bacteris in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove sigal growth, microbiological slime, and other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of Algatrol Z per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of Algatrol Z per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the sevenity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.



EPA REG. NO. 1926-78

EPA EST. NO. __1926- MO-1



Algatrol Z

WATER TREATMENT MICROBIOCIDE

KEEP OUT OF REACH OF CHILDREN WARNING

CTIVE INGREDIENTS:	
Disodium cyanodithioimido-	
carbonate	4.90%
Potassium N-methyldithio-	
carbamate	6.76%

This product contains 1.03 lb. of active ingredients per gallon and weighs 8.88 lb. per gallon.

Manufactured by:



PREC. HAZARDS TO I

WARNING: Causes eye da or on clothing. Wear gogglo Harmful or fatal if swallowed STATEMENT OF PRAC mediately flush eyes or skin w call a physician. Remove a swallowed, call a physician water and induce vomiting by vomiting or give anything by ENVIRONMENTAL HAI discharge into lakes, streams an NPDES permit. For guida

STC

PROHIBITIONS: Do no disposal. Open dumping is a PESTICIDE DISPOSAL used or chemically reproces pesticides, or buried in a sat CONTAINER DISPOSA

- □ METAL: Triple rinse (or e disposal in an approved gallons should be reseale
 □ PLASTIC: Containers und
- rinsed and disposed of intainers or buried in a safe and offered for recondition recycling, reconditioning, place.

GENERAL: Consult Federa alternative procedures.



Algatrol Z

WATER TREATMENT MICROBIOCIDE

WARNING

ACTIVE INGREDIENTS:

ON

ict in a manner incon-

irculating commercial and tems must be cleaned to

leposits. An initial slug ad-

gallons of water is recom-

as of Algatrol Z per 1000

s, or as needed. The fre-

f bleedoff and the severity

be made in the sump of

Disodium cyanodithioimido-	
carbonate	4.90%
Potassium N-methyldithio-	
carbamate	6.76%
NERT INGREDIENTS	88.34%

TOTAL100.00%

This product contains 1.03 lb. of active ingredients per gallon and weighs 8.88 lb.

per gallon.

Manufactured by:



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, cell a physician. Remove and wash contaminated clothing before reuse. If awallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL:

- ☐ METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.
- □ PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

NET CONTENTS