



ACIDIC COMPOUND	PERCENTAGE
Phenylacetic acid	83.7%
Perchloric acid	4.3%
Organic sulphuric acid (Unknown compound)	0.5%
2,6-naphthalenediol	4.0%
Phthalic anhydride	1.5%
2,4-dihydroxyphenol	1.0%
<b>TOTAL</b>	<b>100.0%</b>
From technical Pentachlorophenol	0.2%

\*Equivalent to 7.0% Technical Pentachlorophenol as defined in Federal Specification TT-P-3510.

<sup>\*\*</sup>Equivalent to 0.6% of decachloro-1,7-methanotetrahydroindane and 0.4% of related compounds.

**DIRECTIONS:** Termix WP is for the combined treatment of ground and the spray and pressure treatment of timber to kill rot fungi, subterranean termites and powder post beetles and to prevent reinfestation. Apply without dilution according to procedures detailed in Bruce-Termix Treating Manual, Key 1-10. For use by Termix personnel only in servicing work and not for resale.



Terminix/Division of Cook Industries, Inc. ☎  
Memphis, Tennessee 38112

**WASHING POWDER: KEEP OUT OF REACH OF CHILDREN**

**WARNING: HARMFUL IF SWALLOWED OR IF ABSORBED THROUGH SKIN.  
CAUSES IRITATION.**  
**AVOID CONCENTRATION OF FUMED AND FOODSTUFFS.**  
**DO NOT EAT, DRINK OR SMOKE WHILE FUMING.**  
**DO NOT GET IN CONTACT WITH CLOTHING.**  
**WASH HANDS AFTER USE.**  
**DO NOT USE IN DUSTY AREAS OR IN THE OPEN PLAIN.**

Do not over-tighten drive. Return to dealer recondition or destroy by performing or cracking and breaking the cable.

This procedure is used to follow up all mild head, shoulder and neck pain, and to identify whether any underlying pathology is present.

REVIEW ARTICLE—J. S. GALLAGHER

USDA Reg. No. 15-279