

# TERMINIX INSIDE RESIDUAL DUST

## ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	2.0%
Technical Piperonyl Butoxide	1.0%
Pyrethrins	0.1%

## INERT INGREDIENTS:

	96.9%
Total	<u>100.0</u>

Sevin Reg. U. S. Pat. Off.—Union Carbide Corp.  
Consists of 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

**NOTE:** Terminix Inside Residual Dust is for application by Bruce-Terminix pest control operators in service work only and is not for re-sale.

## DIRECTIONS FOR USE

To control resistant and non-resistant cockroaches, waterbugs, ants, silverfish, brown-dog ticks, earwigs and millepedes, dust thoroughly the following areas: Cracks and crevices; around pipes; behind and beneath cabinets, refrigerators, sinks; baseboards; corners; walls; door frames; window sills; sleeping quarters of pets; ant trails and nests; attics; crawl areas under buildings; outside perimeter of buildings and other areas where pests tend to crawl or hide. Repeat when necessary, but not more often than twice per week.


Fresh bedding should be placed in animal quarters following treatment. Avoid application to surfaces where residues are objectionable or where deposits could be contacted by children.

## WARNING: KEEP OUT OF REACH OF CHILDREN

**HARMFUL IF INHALED OR SWALLOWED:** Do not breathe dust. Do not take internally. Avoid breathing of dust. **Skin contact may be harmful!** Avoid skin contact. Wash hands before eating. **Note for physician:** Sevin is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Avoid contamination of food, feed, food containers or cooking utensils.

Do not use in commercial food preparation areas or in edible products areas of food processing plants.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.



Terminix/Division of Cook Industries, Inc. **ci**  
Memphis, Tennessee 38112

NET CONTENTS—50 pounds

DA 161-12-100-100