

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

1927-62

DATE OF ISSUANCE

DEC 23 1987

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Pyrid RTO

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Terminix International
P.O. Box 17167
Memphis, TN 38187

196088
Not 18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 1927-62."
- b. The methods of application and sites for this product indicate that the product is commercial; therefore, on the front panel, add the statement "Recommended for Commercial/Industrial Use."
- c. The term "restaurants" should follow the phrase "Food and Non-food Areas, etc."
- d. Correct the spelling of "alpha" in the chemical name for Pyridin.
- e. Correct the spelling of the chemical name for MSK 264.

8
11/23/87
11/23/87
11/23/87

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

12/23/87

-2-

- f. Change "flust" to "flush" in the Precautionary Statement.
- g. Move SHAKE WELL BEFORE USE to follow the misuse statement.
- h. Change "label" to labeling" in the misuse statement.
- i. Change "Course, wet spray, etc." to "Coarse, wet spray, etc."
- j. Change "esposed" to "exposed."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

PYRID RTU
Residual Insecticide Spray

Controls: Cockroaches, Spiders, Ants, Ticks, Fleas, Earwigs, Crickets, Sowbugs, Centipedes, Silverfish and Granary Insects.

For use in Hospitals, Supermarkets, Motels, Hotels, Homes, Kennels, Commercial Buildings, Warehouses, Theaters, Office Buildings, Schools, Transportation Equipment (buses, boats, ships, rail cars, airplanes), Restaurants, Food and Non-food areas of Food Processing Plants, Food Service Establishments, and Food Manufacturing and Warehousing Establishments.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.05%	/
*Cyano (3-phenoxyphenyl) methyl 4-chloro- <u>alpha</u> (1-methylethyl) benzeneacetate.....	0.20%	/
^N-Octyl bicycloheptane.....	0.40%	/
INERT INGREDIENTS.....	99.35%	/
Total.....	100.00%	/

*Licensed under U.S. Patent No. 4,062,968 of Sumitomo Chemical Company.
^MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a Physician.
- IF INHALED: Remove to fresh air if effects occur and call a Physician.

Manufactured for:
Terminix International
Memphis, In. 38187

EPA Reg. No. 1927-

EPA Est. No. 11715-TN-1

Net Contents One Gallon

BEST AVAILABLE COPY

ACCEPTED
with RESIDUAL
in EPA

DEC 23 1987

1927-62

1927-62

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes or clothing. In cases of contact, immediately flush skin or eyes with plenty of water. Wash thoroughly with soap and water after handling. If poisoning occurs, get prompt medical aid.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food during application. Do not apply directly to surfaces or utensils that may come into contact with food. These areas should be ventilated to remove insecticide odors, and the facilities and equipment thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed with an acceptable detergent and rinsed with water.

Remove pets, birds, and cover fish aquariums before spraying. Do not allow humans or pets to contact treated surfaces until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

General: Use this residual spray as a spot, crack and crevice, or general treatment to control cockroaches, waterbugs, silverfish, ticks, fleas, and other listed insects. Apply this product as a coarse spray to localized areas where pests are found or occur. Spray surfaces until damp. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat as needed.

Application Within Food and Non-Food Areas of Food Service and Handling Establishments (Places Other Than Private Residences) Including But Not Limited to: Restaurants, Grocery Stores, Bakeries, Food Manufacturing and Processing Establishments, and Food Warehousing Establishments.

BEST AVAILABLE COPY

Coarse

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meal Moth Larva and Adults, Cigarette Beetles, Drug Store Beetles, and Granary Weevils: Apply as a course, wet spray to surfaces where these pests are normally found, such as floors, baseboards, around walls, benches, and pieces of equipment. Use a dosage of one(1) gallon of spray per 1,000 square feet. Pay particular attention to cracks, crevices, and similar protected locations in floors and walls. Spray thoroughly around and into floor drains, non-food conveyors, and other areas where granary insects may be found. Do not apply when food processing facility is in operation or foods are exposed. Do not apply this spray to surfaces or utensils that may come into contact with food; excessive residues in food may result.

To kill Cockroaches, Silverfish, Waterbugs, Ants, Crickets, Sowbugs, Spiders, and Centipedes in Sheltered Situations: Apply this spray with a sprayer that produces coarse, wetting droplets into any cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Use a dosage of one(1) gallon of spray per 1,000 square feet. Contact as many insects as possible with direct spray. Repeat applications as needed, but do not exceed more than one application every seven(7) days in restaurants and similar food service establishments or more than one application every fourteen(14) days in other types of food handling establishments.

Application Within Residential Buildings Including Homes, Apartment Buildings and Kennels, and Non-Food Areas of Industrial, Institutional, and Commercial Buildings, Such as Hospitals, Hotels, Warehouses, Theaters, Office Buildings and Schools.

To kill Cockroaches and Waterbugs: Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; expansion joints between elements of construction, beneath equipment or hollow equipment legs; behind baseboards and door frames; behind and beneath sinks, stoves, refrigerators and cabinets, around garbage cans, plumbing or other utility installations and other areas where these insects may hide. Repeat as necessary.

To kill Ants, Crickets, Silverfish, Sowbugs, Spiders, Earwigs, Carpet Beetles, and Dermestids: Apply spray in small amounts directly into cracks and crevices or other areas where these pests may live or gain entry to the structure. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, baseboards and other areas where these insects hide. Repeat as necessary.

To kill Dog Ticks and Fleas: Thoroughly apply as a spot or crack and crevice treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards. Old bedding should be removed and replaced with clean, fresh bedding after treatment. When treating carpets for the control of fleas the entire carpet should be treated using one(1) gallon of spray per 1,000

sq. ft. of area. Cracks and crevices around door and window frames should be treated when this product is used for the control of ticks. Do Not Spray Pets With This Product. Pets should be treated with a registered flea and tick product before reentering the treated area. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Replace cap and discard container in trash. ✓

Notice : Seller makes no warranty, express or implied, including the warranties of merchantability and or fitness for any particular purpose, concerning this material, except those which are contained on this label.

