

EPA Reg. No. 1935-20

MILDUPRUF™

MILDICIDE FOR POSITIVE MILDEW CONTROL

ACTIVE INGREDIENTS

bis (tri-n-butyltin) oxide (metallic tin 4.0%)	10.000%
di-Alkyl (47%C ₁₂ , 18%C ₁₄ , 10%C ₁₆ , 9%C ₁₈ , 8%C ₂₀ , 8%C ₂₂) dimethyl ammonium chloride	8.625%
n-Alkyl (47%C ₁₂ , 18%C ₁₄ , 10%C ₁₆ , 9%C ₁₈ , 8%C ₂₀ , 8%C ₂₂) dipropoxy tertiary amine	8.625%
n-Alkyl (60%C ₁₂ , 30%C ₁₄ , 5%C ₁₆ , 5%C ₁₈) dimethyl benzyl ammonium chloride	5.750%
n-Alkyl (50%C ₁₂ , 30%C ₁₄ , 17%C ₁₆ , 3%C ₁₈) dimethyl ethylbenzyl ammonium chloride	5.750%
isopropyl alcohol	5.750%

INERT INGREDIENTS

55.500%
100.000%

USE INSTRUCTIONS: Wash load clean according to suggested formula. In the last operation, use one liquid ounce MILDUPRUF per 100# of load based upon the dry, clean weight of the linens. (This concentration is equivalent to 1 oz. MILDUPRUF per 40 gallons of water.) Do not use in hospital or dinner laundries.

SEE TECHNICAL BULLETIN FOR FURTHER USE INSTRUCTIONS.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.

KEEP OUT OF REACH OF CHILDREN

35 GALLONS NET

MADE IN U.S.A.

372

STAUFFER CHEMICAL COMPANY
INDUSTRIAL CHEMICAL DIVISION
WESTPORT, CT 06880

DANGER

CAUSES SEVERE EYE

HARMFUL IF

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves. Do not ingest. Do not use for preparation of food. Keep container closed.

COMBUSTIBLE — Keep away from

FIRST AID: In case of contact, immediately flush with water for at least 15 minutes. For eye contact, remove contaminated clothing before reuse. For ingestion, do not induce vomiting. Drink large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucous membrane irritation. Measures against absorption, and convulsion may be needed. Empty container thoroughly before disposal.

FO