

For use in schools, office buildings, manufacturing plants, hotels, motels, and public recreation facilities. On hard surfaces such as drinking fountains, sinks, lavatories, urinals, wood or metal furniture and floors. Make a solution using 1 pint (16 oz.) germ-X Chloromint to 4 gallons water. Surface to be disinfected must be thoroughly wet with a sponge, mop or brush employing either a wiping, mopping or scrubbing action when applying the use-dilution solution.

To disinfect locker rooms, shower stalls, walkways, ground pools and other areas against pathogenic fungi, prepare a 1% aqueous solution of 1 pint (16 oz.) Germ-X Chloromine in 4 gallons of water. This solution will destroy the fungus on contact, but it is necessary to keep the area for 24 hours before use.

1. Thoroughly wet surface to be sanitized with a sponge mop, or brush, mopping, either a wiping, mopping, or scrubbing action. All areas and surfaces must be clean before sanitizing.

Do not mix with soap or synthetic detergents.

T. M. REG. U. S.
PAT. OFF.

NO. 11
T. M. REG. U. S.
PAT. OFF.

Germ-X
SPECIALIZED
CHLOROMINT

Salmonella Typeosa — 11.7
Staphylococcus aureus — 17.5

Contains Sodium Nitrate

E.P.A. Est. No. 01937KS01

See Antidote Statement And Additional Precautions On Side Panel.
Container Disposed: Rinse Empty Container Thoroughly With Water And
Destroy It.

LAWRENCE, KANSAS 66044

1 GALLON

Accepted

1975

UNDER THE

GERM-X Chloromint is a residual type bacteriostat.

**KEEP OUT OF REACH
OF CHILDREN.**

From the above, it is clear that the use of the χ^2 test is not appropriate for the analysis of the data. The use of the χ^2 test is only appropriate for the analysis of the data when the data are in the form of a contingency table. In this case, the data are in the form of a contingency table, and the χ^2 test is appropriate for the analysis of the data.

If swallowed, drink promptly and a quantity of milk or fruit wines, give solution of 1 lb. of castor oil, and drink large quantities of water. A cathartic already of 1 lb. of castor oil gives immediate relief.

Note: To prevent a probable increase in intracranial pressure, contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.