

CODE 18-2020



DIRECTIONS FOR USE

Place baits in locations where Norway and roof rats and house mice feed, water, and/or travel. Bait placements along walls, in corners, and in concealed locations where Norway and roof rats and house mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

Where a continuous source of infestation is present, permanent bait stations should be established and the bait replenished as needed.

Norway and Roof Rats: Place 4 to 16 ounces of bait per placement. An uninterrupted supply of bait should be maintained for at least 10 days.


House Mice: Tablespoon amounts (1/4 to 1/2 ounce) of bait should be placed at 8 to 12-foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

**SEE RIGHT SIDE PANEL
FOR ADDITIONAL
CAUTIONS.**


ACCEPTED

DEC 4 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1990-375



EPA Reg. No. 1990-375



**ROCON
RAT AND MOUSE BAIT**

ACTIVE INGREDIENT:

2-pivalyl-1, 3-indandione0.025%

INERT INGREDIENTS:99.975%

TOTAL:100.000%

CAUTION

KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

NET CONTENTS 20 POUNDS
(7.46 KILOGRAMS)

CAUTION

Keep out of reach of children, pets, wildlife, and domestic animals.

Treated baits should be placed in locations not accessible to children, pets, wildlife, and domestic animals, or in tamper-proof boxes.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of Vitamin K, combined with blood transfusions, is indicated as in case of hemorrhage caused by overdose of bishydroxycoumarin (dicumarol).

In all cases of human ingestion immediately notify a physician.

IMPORTANT

For best results keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

Rodents may feed several times before the effects are noticed. Several days may be required for death to occur.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place.

NOTICE: Because Farmland Industries, Inc. has no control over storage, handling, and conditions of use, which are of critical importance, Farmland Industries, Inc. makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Farmland Industries, Inc. assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling, or storage of this material.

EPA Est. No. 32761-MO-1

FARMLAND INDUSTRIES, INC.