

DEC 19 1988

R.T. Vanderbilt Company, Inc.
30 Winfield Street
Norwalk, CT 06855

Attention: W.S. Taylor

Gentlemen:

Subject: VANCIDE 51
EPA Registration No. 1965-8
Your Submission Dated September 4, 1987
EPA Received Date September 10, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
- a. Delete the word "milk."
- b. Revise the Environmental Hazards statement to read:

Environmental Hazards

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

50370:I:Leavy;LL-6:KENCO:12/13/88:1/27/89:rw:EK:AS

CONCURRENCES

SYMBOL							
SURNAME							
DATE							


-2-

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

If you have any questions, please contact Karen M. Leavy at (703) 557-3966.

Sincerely yours,


John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

NET WEIGHT 525 LBS., 55 gallons

GENERAL CLASSIFICATION

DIRECTIONS FOR INDUSTRIAL USE:

Paper Mill Sulfide: For use in the pulp and paper industry, VANCIDE 51 is used to control odors and discoloration in pulp and paper. It is applied to the pulp stream at the mill. The amount of VANCIDE 51 used depends on the type of pulp and the amount of odor and discoloration. It is applied to the pulp stream at the mill. The amount of VANCIDE 51 used depends on the type of pulp and the amount of odor and discoloration.

Coating Mills: VANCIDE 51 is used to control odors and discoloration in the coating process. It is applied to the coating stream at the mill. The amount of VANCIDE 51 used depends on the type of coating and the amount of odor and discoloration. It is applied to the coating stream at the mill. The amount of VANCIDE 51 used depends on the type of coating and the amount of odor and discoloration.

Mold Resistant Paper and Paperboard: VANCIDE 51 is used to control mold growth on paper and paperboard. It is applied to the paper and paperboard at the mill. The amount of VANCIDE 51 used depends on the type of paper and paperboard. It is applied to the paper and paperboard at the mill. The amount of VANCIDE 51 used depends on the type of paper and paperboard.

Preservation of Cotton Fabrics: VANCIDE 51 is used to control mold growth on cotton fabrics. It is applied to the cotton fabrics at the mill. The amount of VANCIDE 51 used depends on the type of cotton fabric. It is applied to the cotton fabrics at the mill. The amount of VANCIDE 51 used depends on the type of cotton fabric.

Preservative for Paste: VANCIDE 51 is used to control mold growth on paste. It is applied to the paste at the mill. The amount of VANCIDE 51 used depends on the type of paste. It is applied to the paste at the mill. The amount of VANCIDE 51 used depends on the type of paste.

See side panel for additional directions for use.

Vancide

INDUSTRIAL PRESERVATIVE

ACTIVE INGREDIENTS:
SODIUM DIMETHYLDITHIOCARBAMATE 27.6%
SODIUM 2-MERCAPTOBENZOTHAZOLE 2.4%
INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed, drink promptly a large quantity of milk, egg white or if these are not available, drink large quantities of water immediately.
If Inhaled, remove victim to fresh air.
If on Skin, flush with plenty of water for at least 15 minutes.
If in Eyes, immediately flush with plenty of water for at least 15 minutes. Get medical attention if necessary.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed or inhaled. May cause irritation of skin. Avoid contact with eyes, skin or clothing. Avoid breathing of dust. If contact, flush with plenty of water. For eyes, get medical attention.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not apply directly to water or to water in the course of normal operations. Clean equipment and disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

See side panel for additional precautionary information.



R. T. Vanderbilt Chemical

INDUSTRIAL, MINERAL, AND CHEMICALS

30 Winfield Street, P.O. Box 5150, Newark, N.J. 07102

NON WARRANTY OF RESULTS - The user assumes all responsibility for the results of the use of this product. The user should consult the manufacturer's literature for proper use and handling. The manufacturer does not warrant the results of the use of this product.