

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1965-11

1/11/2006

Page 174

JAN 11 2006

R.T. Vanderbilt Company, Inc.
30 Winfield Street
Norwalk, CT 06855

Attention: Frank B. Flynn

Subject: Vancide 89
EPA Registration No. 1965-11
Your Notification December 2, 2005

This will acknowledge receipt of your notification to correct the EPA Establishment Number on the label, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely



Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)

CONCURRENCES

| SYMBOL | | | | | | | | |
|---------|--|--|--|--|--|--|--|--|
| SURNAME | | | | | | | | |
| DATE | | | | | | | | |

274



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

| | | | |
|--|---|--|-----------------------|
| | United States Environmental Protection Agency Washington, DC 20460 | <input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other | OPP Identifier Number |
|--|---|--|-----------------------|

Application for Pesticide - Section I

| | | |
|--|--|--|
| 1. Company/Product Number 1965-11 | 2. EPA Product Manager V. Doble M. Swindle | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) VANCIDE 89 | PM# 33 33 | |
| 5. Name and Address of Applicant (Include ZIP Code) R.T. Vanderbilt Company, Inc. 30 Winfield Street Norwalk, CT 06855 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application. |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Correct EPA Establishment Number for Product. See attached letter for details

Section - III

| | | | | | |
|---|--|---|--|---|----------------------------------|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | <input type="checkbox"/> Metal | <input type="checkbox"/> Plastic |
| * Certification must be submitted | | | | <input checked="" type="checkbox"/> Glass | <input type="checkbox"/> Paper |
| | If "Yes" Unit Packaging wgt. No. per container | If "Yes" Package wgt. No. per container | | Other (Specify) _____ | |
| 3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container 55 lb. bag in corrugated box | 5. Location of Label Directions <input checked="" type="checkbox"/> | | |
| 6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled | | | | <input type="checkbox"/> Other _____ | |

Section - IV

| | | |
|---|---|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Frank B. Flynn | Title Manager - Specialties and Biochemicals | Telephone No. (Include Area Code) 203-853-1400 |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | 6. Date Application Received (Stamped) |
| 2. Signature | 3. Title Manager, Specialties and Biochemicals | |
| 4. Typed Name Frank B. Flynn | 5. Date 12/2/05 | |

3 8 4



R.T. Vanderbilt Company, Inc.

INDUSTRIAL MINERALS AND CHEMICALS

30 WINFIELD STREET, P.O. BOX 5150, NORWALK, CONNECTICUT 06856-5150
(203) 853-1400 Fax (203) 853-1452 • Internet Address: www.rtvanderbilt.com

December 2, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Subject: VANCIDE 89 Industrial Preservative
EPA Registration Number 1965-11
Notification of change on label Pesticide Producing in Establishment

Gentlemen:

In this correspondence, R.T. Vanderbilt Company, Inc. seeks to make a correction of the EPA Establishment number that appears on its label for the above subject product.

Enclosed, please find:

1. Form 8570-1, Application for Pesticide Notification
2. Five (5) copies of amended label
3. **No change in the Confidential Statement of Formula or Formulators Exemption Statement has occurred from notification mailing dated July 18, 2005; these documents are not included.**

In its previous correspondence, R.T. Vanderbilt Company, Inc. advised the Agency of the new name of the manufacturer for VANCIDE 89, EPA Reg. 1965-11 as Arysta LifeSciences of San Francisco, CA. This remains as is.

Vanderbilt also notified the Agency of the manufacturing location as being Makhteshim Chemical Works, Ltd, Israel. This too, remains the same.


Vanderbilt had placed the Makhteshim Establishment number (11678-IS-001) on its label for VANCIDE 89. Arysta has advised Vanderbilt that this is incorrect and that the label should show the establishment number for the processing plant in Arkansas, where VANCIDE 89 is packaged.


R.T. Vanderbilt Company, Inc. therefore makes notification to the Agency of the new establishment number on the label, **070989-AR-01**. This number reflects the following address:

Omnium, LLC
400 Terra Road
Blytheville, AR 72315

870-763-2022 (phone)
870-763-2048 (FAX)

If I can provide further information, please contact me.

Sincerely,

 Frank B. Flynn
 Manager, Specialties and Biochemicals
 R. T. Vanderbilt Company
 fflynn@rtvanderbilt.com



Vancide* 89

INDUSTRIAL PRESERVATIVE

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

NET WEIGHT 55 LBS

| | |
|---|-------|
| Active Ingredient(s) | |
| Captan, (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide), CAS No. 133-06-2 | 91.5% |
| Related Derivatives | 2% |
| Inert Ingredient(s) | 6.5% |
| Total | 100% |

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Vinyl—To protect vinyl compounds from mildew growth and stiffening caused by bacteria and fungi, add 0.5 to 1 part **VANCIDE 89** based on 100 parts, by weight, of resin.

Paint—Protect paint from damage by mold by milling in 0.25 to 1.0% **VANCIDE 89** based on the weight of the paint. For exterior paints containing linseed oil, use from 0.25% **VANCIDE 89** (3 lbs/100 gallons) plus 2.5 pounds zinc oxide per gallon to 1% **VANCIDE 89** (12 lbs/100 gallons) plus 1.5 pounds zinc oxide per gallon. For zinc-free exterior paints, such as alkylid blister-proof paints, use 0.75% to 1.0% **VANCIDE 89** (9 to 12 lbs/100 gallons). For varnishes and alkylid-based maintenance paints used in breweries, hospitals and food processing plants containing little or no zinc, use 1% **VANCIDE 89** (12 lbs/100 gallons). Not recommended for emulsion paints. **VANCIDE 89** is a dry powder; disperse in the paint as a pigment. Impermeable gloves must be worn when applying oil-based paints for home or professional use. **This product may not be used in paints that may contact food surfaces (for non-food surfaces only).**

Application Restriction: This product cannot be added to paint or adhesive products unless the paint or adhesive product label contains the following statements: When using this product, wear long-sleeved shirt and long pants. When applying this product by sprayer, water-proof gloves and a NIOSH-approved dust mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N2, R, P, or HE filter must also be used.

Lacquer—To protect lacquer used in coating electrical equipment from the growth of mildew, add 1% to 3% **VANCIDE 89** based on the solids.

Rubber and Rubber Coated Articles—To prepare bacteriostatic latex for making cast or coated products, add 0.4% **VANCIDE 89** based on the total dry weight of the latex compound.

Polyethylene—To protect polyethylene from the growth of fungi and bacteria, mill in 0.75% **VANCIDE 89** by weight of the polyethylene.

EPA Registration Number 1965-11

EPA Establishment Number 070989-AR-01

California Proposition 65: NOTICE: This product contains a chemical known to the State of California to cause cancer

Corrosive - Causes irreversible eye damage. May be fatal if inhaled. Do not get in eyes or on clothing. Do not breathe dust. For handling activities, use dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, P, R, or HE prefilter. Wear long-sleeved shirt and long pants, socks and shoes and goggles or face shield. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE) - Some materials that are chemical-resistant to this product are neoprene, nitrile, NR Latex and most common polymeric materials. If you want more options, follow the instructions for category A or C on an EPA chemical-resistance category section chart. All mixers, loaders, applicators and other handlers must wear: long sleeved shirt and long pants • chemical resistant gloves • shoes plus socks • dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH approved respirator with any N², R, P, or HE filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls - When handlers use closed systems designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people AND the system is functioning properly and is used and maintained in accordance with the manufacturer's written operating instructions, the handlers need not wear the dust/mist respirator. However, the respirator must be immediately available for use in an emergency.

User Safety Recommendations - Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

STATEMENT OF PRACTICAL TREATMENT

First Aid: Immediately start the procedures given below and CONTACT A POISON CENTER, A PHYSICIAN, OR THE NEAREST HOSPITAL. Have the product container or label with you when calling a poison center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

INGESTION: If swallowed, immediately give several glasses of water and induce vomiting by placing a finger on the back of the victim's tongue. Give fluids until the vomitus is clear. If victim is unconscious or convulsing, do not induce vomiting or give anything by mouth.

SKIN CONTACT: For skin contact, flush affected areas with plenty of water for several minutes. Remove and clean contaminated clothing and shoes. Seek medical attention if irritation occurs.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physicians: - Probable mucosal damage may contraindicate the use of gastric lavage. Emergency Information - call (800) 327-8833.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE: Store in cool, dry place. Protect from excessive heat. Keep pesticide in original container. Do not store or transport near food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If box is contaminated and cannot be reused, dispose of in the same manner.



R. T. Vanderbilt Company, Inc.

INDUSTRIAL MINERALS AND CHEMICALS

30 Winfield Street, P.O. Box 5150, Norwalk, CT 06856-5150

• FOR CHEMICAL EMERGENCY - Spill, Leak, Fire, Exposure or Accident, Call CHEMTREC® - Day or Night: 800-424-9300

• International Emergencies: 202-483-7616 (Call Collect) • Non-Emergencies: 800-262-8200

NON-WARRANTY OF RESULTS. We do not warrant the results obtained in using any material supplied by us, and because the conditions of use are beyond our control, we disclaim all liability with respect to the use, handling or further processing of such material, including infringement of any existing patent or violation of any federal, state or local law or regulation.

RTV PRODUCT
48004

Issued: 7/05
Replaces: 4/02