*MARCA REGISTRADA®

For Industrial Use Only

NET CONTENTS 5 GALLONS 45 LBS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. 'May cause allergic skin reactions. Do not get in eyes. Wear goggles when handling. Avoid contact with skin and clothing or inhalation of dust.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

See side panel for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENT AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Paint: Protect paint from damage by mold by milling in 0.5 to 2.0% VANCIDE 89 Dispersion based on the weight of the paint added before letdown. For linseed oil exterior paints, use from 0.5% VANCIDE 89 Dispersion (6 pounds/100 gallons) with 2.5 pounds zinc oxide per gallon to 2.0% VANCIDE 89 Dispersion with 1.5 pounds zinc oxide per gallon. For zinc-free exterior paints, such as alkyd blister-proof paints, use 1.5% to 2.0% VANCIDE89 Dispersion (18 to 24 pounds/100 gallons). For maintenance paint for breweries, hospitals and food processing plants, based on alkyds or other varnishes containing little or no zinc, use 2.0% VANCIDE 69 Dispersion (24 pounds/100 gallons).

The high level of VANCIDE 89 Dispersion is recommended for areas of severe mildew.

Not recommended for emulsion paints.

See side panel for additional directions for use.

Yancide* 89 **Dispersion**

INDUSTRIAL PRESERVATIVE

ACTIVE INGREDIENTS:	By Wt.
*Captan	43.5%
Related Derivatives	2.5%
INERT INGREDIENTS:	54.0%

*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. In case of skin contact, wash thoroughly with soap and water. If a skin rash develops, see a doctor.

Note to physicians: Emergency Information - call (415)233-3737.

Vinyl: To protect vin growth and stiffening and fungi, add 1 to 2 parts, by weight, of the added to plasticizer t VANCIDE 89 Dispe exposure.

Lacquer: To protect la the growth of mildew, on the solids. The VAI formulation and blend Dispersion in areas c

PROHIBITIONS

Do not contaminate cleaning of equipment Open dumping is proh

STORAGE

54.0%

Store in cool, dry place Protect from excessive Keep pesticide in origi Do not store or transpo

DO NOT USE OI FLAME.

PESTICIDE DISP

Pesticide, spray mixture to label instructions m Federal, State, or local

CONTAINER DISF

Triple rinse (or equivaler dispose of in a sanitary and local authorities.



NON-WARRANTY OF RESULTS. Our recommendations for use and based on tests the management of the second is beyond our control, neither:we nor the manufacturer can guarantee the results its and second or with directions. We disclaim any responsibility for damages resulting from careless or improvement out

J. May when dust.

ing of

Inne

NITH NITH

> 2.0% dded HDE 3 per xide

roof 1100 food

little 100

doctor.

Vancide* Dispersion **INDUSTRIAL PRESERVATIVE**

Related Derivatives..... 2.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15

minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. In case of skin contact,

wash thoroughly with soap and water. If a skin rash develops, see a

Note to physicians: Emergency information - call (415)233-3737.

*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide

Vinyl: To protect vinyl products as e.g. PVC from unsightly mildew growth and stiffening due to plasticizer depletion caused by bacteria and fungi, add 1 to 2 parts of VANCIDE 89 Dispersion based on 100 parts, by weight, of the resin. The VANCIDE 89 Dispersion should be added to plasticizer before addition to formula. Use the high level of VANCIDE 89 Dispersion in products that will have high mildew exposure.

Lacquer: To protect lacquer used in coating electrical equipment from the growth of mildew, add 2% to 5% VANCIDE 89 Dispersion based on the solids. The VANCDIE 89 Dispersion should be added to final formulation and blended well. Use the high level of VANCIDE 89 Dispersion in areas of severe mildew.

STORAGE AND DISPOSAL **PROHIBITIONS**

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited

STORAGE

By Wt.

54.0%

100%

Store in cool, dry place. Protect from excessive heat. Keep pesticide in original container. Do not store or transport nearlood and feed.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

E PA REG No 1965-47 EFA EST No 1965-CT-01

Vanderbilt Company, Inc.

MINERALS AND CHEMICALS

ACTIVE INGREDIENTS:

INERT INGREDIENTS:

ield Street, Norwalk, CT 06855 - Emergency (८००) 😂 🤋 💵

SULTS. Our recommendations for use are based on tests believed reliable. Since the use ther we nor the manufacturer can guarantee the results it such use is not in accordance im any responsibility for damages resulting from careless or improper handling or use

683