

INDUSTRIAL PRESERVATIVE

UN 2922
Skin corrosive only

ACTIVE INGREDIENTS:
Hexahydro-1,3,5-triethyl-s-triazine, CAS No. 7779-27-3 95%
INERT INGREDIENTS: 5%

100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive-causes eye and skin damage. Material left on skin causes burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Remove contaminated clothing and wash before reuse.

May be fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapors or mist. Use with adequate ventilation or approved respirator for organic vapors. Contact with this product may induce sensitization.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STATEMENT OF PRACTICAL TREATMENT

If **swallowed**, drink promptly a large quantity of water. Avoid alcohol. Get medical attention.

Note to Physician: Probable mucosal damage may contraindicate use of gastric lavage.

If **on skin**, wash with plenty of soap and water. Get medical attention. Remove contaminated clothing and wash before reuse

If **in eyes**, hold eyelids open and flush with a gentle stream of water for 15 minutes. Get medical attention

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This active ingredient has been cleared for use as an antimicrobial agent in the manufacture of paper and paperboard. (21CFR176.179).

Preservation of Latex Paint and Aqueous Slurries- To preserve water based alkaline paints and slurries in storage, add 0.5 to 1.5 pounds (0.05 to 0.15%) per 100 gallons of paint or slurry.

Preservation of Synthetic Rubber Latex - To preserve synthetic rubber latex from attack by bacteria and/or fungi, add 0.02 to 0.05 percent **VANCIDE TH** by weight of the latex.

Preservation of Adhesives-To preserve starch adhesives from attack by bacteria and/or fungi, add 0.01% **VANCIDE TH** by weight to adhesive composition. To preserve soya flour adhesives, add 0.05% **VANCIDE TH** by weight of the adhesive composition.

Preservation of Cutting Oils-To prevent cutting oils from developing undesirable odors and broken emulsions due to bacterial action, add 3% **VANCIDE TH** to cutting oil concentrate in order that the final dilution of 1 in 20 to 1 in 75 with water will contain 400 to 1500 ppm of the **VANCIDE TH**. See **VANCIDE TH** Technical Data Sheet for further information.

STORAGE AND DISPOSAL- Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store in a cool, dry place.

PESTICIDE DISPOSAL- Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary

