

NOV. 10, 1975
1969-34

Parsons

MALATHION

50%

EMULSIFIABLE INSECTICIDE

KILLS GARDEN INSECT PESTS
on flowers, shrubs, shade trees,
vegetables and fruits.
Certain household insects.

CAUTION
KEEP OUT OF REACH OF CHILDREN
See Side Panels for Additional Cautions

ACTIVE INGREDIENTS:
Malathion* 50%
Aromatic Solvents 27%
Petroleum Distillates 20%
INERT INGREDIENT: 3%
(*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate)

Manufacturing Chemists Since 1916
PARSONS CHEMICAL WORKS, Inc.
Grand Trunk Road, Grand Haven, Michigan 49437

Parsons

DIREC

Spray plants on both sides of foliage.
Do not store diluted spray. Make
applied with hose end or tank spray

PLANT or AREA	INSECT
Ornamentals (Roses, Azaleas, Camellias, Evergreens, Flowers & Shade Trees)	Aphids, Red S Mites, Mealyb White Fly, Th Bug, Four-line worm, Rose L Beetle Adults Plant Bugs, C Bugs, Leaf M
	Black Scale, I Shell Scale
*Fruits (Apples, Pears, Grapes)	Aphids, Red S Bugs, Woolly Thrips, Tarnis ined Plant B Japanese Bee
	Scale Crawler
**Vegetables (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes)	Aphids, Red S Bugs, White F ished Plant B Bug, Bean Lea Leafhopper, J Adults
***Household Pests	Roaches, Ants toes, Silverfis Mites, Earwig
****Out Dwellings (Outside Only)	Houseflies

FOR FLEA CONTROL (Dogs and Cats)
of 2½ tablespoons of Malathion 50
mal thoroughly using a hand sprayer
within 2 to 3 weeks. Do not treat

ANIMAL QUARTERS: For control of
and under houses: Use spray of 5
of water at rate of 1 gallon per 100
manure and debris before spraying
within three to four week

Nov. 10, 1975
 1969-37
 UNDER THE
 FUNGICIDE
 FOR

Parsons

MALATHION

50%

EMULSIFIABLE INSECTICIDE

KILLS GARDEN INSECT PESTS
 on flowers, shrubs, shade trees,
 vegetables and fruits.
 Certain household insects.

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 See Side Panels for Additional Cautions

ACTIVE INGREDIENTS:
 Malathion* 50%
 Aromatic Solvents 27%
 Petroleum Distillates 20%
INERT INGREDIENT: 3%
 (*O, O-dimethyl dithiophosphate of
 diethyl mercaptosuccinate)

Manufacturing Chemists Since 1916
PARSONS CHEMICAL WORKS, Inc.
Grand Trunk Rd., Michigan 48837

Parsons

DIREC

Spray plants on both sides of foliage.
 Do not store diluted spray. Malathion
 applied with hose end or tank spray

PLANT or AREA	INSECT
Ornamentals (Roses, Azaleas, Camellias, Evergreens, Flowers & Shade Trees)	Aphids, Red S Mites, Mealyb White Fly, Th Bug, Four-line worm, Rose L Beetle Adults Plant Bugs, C Bugs, Leaf M Black Scale, I Shell Scale
*Fruits (Apples, Pears, Grapes)	Aphids, Red S Bugs, Woolly Thrips, Tarnis lined Plant B Japanese Bee Scale Crawler
**Vegetables (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes)	Aphids, Red S Bugs, White F ished Plant B Bug, Bean Lea Leafhopper, J Adults
***Household Pests	Roaches, Ants toes, Silverfis Mites, Earwig
****Out Dwellings (Outside Only)	Houseflies

FOR FLEA CONTROL (Dogs and Cats)
 of 2½ tablespoons of Malathion 50
 mal thoroughly using a hand sprayer
 within 2 to 3 weeks. Do not treat

ANIMAL QUARTERS: For control of
 and under houses: Use spray of 5
 of water at rate of 1 gallon per 100
 manure and debris before spraying
 within three to four week

Nov. 10, 1975
 1969-31
 UNDER THE F...
 FUNGICIDE
 FOR

Parsons

Parsons

MALATHION

50%

EMULSIFIABLE INSECTICIDE

KILLS GARDEN INSECT PESTS
 on flowers, shrubs, shade trees,
 vegetables and fruits.
 Certain household insects.

CAUTION

KEEP OUT OF REACH OF CHILDREN
 See Side Panels for Additional Cautions

ACTIVE INGREDIENTS:

Malathion* 50%
 Aromatic Solvents 27%
 Petroleum Distillates 20%

INERT INGREDIENT: 3%

(*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate)

Manufacturing Chemists Since 1916
PARSONS CHEMICAL WORKS, Inc.
Grand Rapids, Michigan 49507

DIRECTIONS

Spray plants on both sides of foliage thoroughly. Repeat as necessary. Do not store diluted spray. Make new dilution each time. May be applied with hose end or tank sprayer. Will control the following insects:

PLANT or AREA	INSECT	DILUTION
Ornamentals (Roses, Azaleas, Camellias, Evergreens, Flowers & Shade Trees)	Aphids, Red Spider Mites, Spruce Mites, Mealybugs, Woolly Aphid, White Fly, Thrips, Tarnished Plant Bug, Four-lined Leaf Bug, Bagworm, Rose Leafhopper, Japanese Beetle Adults, Scale Crawlers, Plant Bugs, Caterpillars, Lace Bugs, Leaf Miners, Springtails	1 tbsp. per gal. of water
	Black Scale, Bean Scale, Oyster Shell Scale	2 tbsp. per gal. of water
*Fruits (Apples, Pears, Grapes)	Aphids, Red Spider Mites, Mealy Bugs, Woolly Aphid, White Fly, Thrips, Tarnished Plant Bug, Four-lined Plant Bug, Pear Psyllid, Japanese Beetle Adults	1 tbsp. per gal. of water
	Scale Crawlers	2 tbsp. per gal. of water
**Vegetables (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes)	Aphids, Red Spider Mites, Mealy Bugs, White Fly, Thrips, Tarnished Plant Bugs, Four-lined Leaf Bug, Bean Leafhopper, Potato Leafhopper, Japanese Beetle Adults	1 tbsp. per gal. of water
***Household Pests	Roaches, Ants, Spiders, Mosquitoes, Silverfish, Crickets, Clover Mites, Earwigs	8 tbsp. per gal. of water
****Out Dwellings (Outside Only)	Houseflies	5 tbsp. per gal. of water

FOR FLEA CONTROL (Dogs and Cats) — Direct application: Apply spray of 2½ tablespoons of Malathion 50% per gallon of water. Wet the animal thoroughly using a hand sprayer. Repeat treatments may be needed within 2 to 3 weeks. Do not treat animals under 1 month of age.

ANIMAL QUARTERS: For control of fleas in kennels, pens, yards, lawns and under houses: Use spray of 5½ oz. of Malathion 50% per gallon of water at rate of 1 gallon per 1000 sq. ft. Use garden sprayer. Remove manure and debris before spraying. Repeat treatment should be used within three to four week