


# Parsons SEED SAVER SLURRY CONCENTRATE "60" FOR SLURRY SEED TREATERS ONLY



**WHEAT OATS**

*This Will Dye Seed Grain Red*

**A MERCURIAL FUNGICIDE**

**DANGER — KEEP OUT OF REACH OF CHILDREN**

See direction panel for additional warnings


POISON

See antidote statement and other required warning statements on the direction panel

ACTIVE INGREDIENTS PHENYL MERCURIC AMMONIUM ACETATE 13.50%

INERT INGREDIENTS 86.50%

CONTAINS METALLIC MERCURY 7.0%



## DIRECTIONS FOR USE

Seed should be cleaned and well cured before treating. LIQUID SEED SAVER SLURRY CONCENTRATE "60" must be diluted with water before use. The following table shows proper dilution for use of SEED SAVER "60" in a Slurry Seed Treater:

SEED	SEED SAVER "60" Gallon	WATER Gallon	SLURRY BUCKET	SEED GATE	RATE PER BUSHEL
WHEAT	One (1)	20	23 cc.	15	1/4 fl. oz.
OATS	One (1)	12	23 cc.	20	1/4 fl. oz.

Additional dye may be added if desired. Use only recommended dosage. Effective control may not be obtained if lower amounts are used.

## WARNING

**ANTIDOTE** — If swallowed, give milk or white of egg beaten with water, then a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. Repeat milk or white of egg beaten with water. Call a physician immediately.

**Warning** — May Produce Delayed Chemical Burns. Do not breathe spray mist. This product should be considered poisonous and handled with care. Allow adequate ventilation for the operator. If spilled on skin, immediately wash thoroughly with soap and water. May be fatal if swallowed. Do not get in eyes, on skin or clothing. If it does get into eyes, flush with water for at least 15 minutes and get medical attention. This product contains a strong concentration of dye, therefore handle with care because it will dye hands or articles that come into contact with it and it is hard to wash off. Suggest wearing gloves and old clothing.

Store in a cool place. Keep container closed. Keep liquid away from open flame, spark-producing equipment, or heated surfaces. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

**NOTICE TO PURCHASER** — Parsons Chemical Works Inc. and Seller make no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACCEPTED UNDER THE FEDERAL FUNGICIDE AND ROACIDANT ACT FOR F. D. 10020 ED UNDER NO. 10020

**DIRECTIONS FOR USE** - red

Seed should be cleaned and well cured before treating. LIQUID SEED SAVER SLURRY CONCENTRATE "60" must be diluted with water before use. The following table shows proper dilution for use of SEED SAVER "60" in a Slurry Seed Treater:

SEED	SEED SAVER "60" Gallon	WATER Gallon	SLURRY BUCKET	SEED GATE	RATE PER BUSHEL
WHEAT	One (1)	20	23 cc.	15	1/4 fl. oz.
OATS	One (1)	12	23 cc.	20	1/4 fl. oz.

Additional dye may be added if desired. Use only recommended dosage. Effective control may not be obtained if lower amounts are used.

**WARNING** - red

**ANTIDOTE** — If swallowed, give milk or white of egg beaten with water, then a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. Repeat milk or white of egg beaten with water. Call a physician immediately.

**Warning** — May Produce Delayed Chemical Burns. Do not breathe spray mist. This product should be considered poisonous and handled with care. Allow adequate ventilation for the operator. If spilled on skin, immediately wash thoroughly with soap and water. May be fatal if swallowed. Do not get in eyes, on skin or clothing. If it does get into eyes, flush with water for at least 15 minutes and get medical attention. This product contains a strong concentration of dye, therefore handle with care because it will dye hands or articles that come into contact with it and it is hard to wash off. Suggest wearing gloves and old clothing.

Store in a cool place. Keep container closed. Keep liquid away from open flame, spark-producing equipment, or heated surfaces. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

**NOTICE TO PURCHASER** — Parsons Chemical Works Inc. and Seller make no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**GENERAL INFORMATION**

WILL NOT FREEZE AT LOW TEMPERATURES

Contents treats 512 bushels per gallon of concentrate according to table above, treated.

PARSONS SEED SAVER SLURRY CONCENTRATE "60" is recommended for the control of diseases caused by organisms carried on the seed and for control of seedborne stinking smut or bunt of wheat, oat smut and seedborne oat blight.

For best results, treated grain should be stored in sacks or bins covered for at least 24 hours. Treated grain may then be planted.

**NOTICE:** Head smut of sorghums, brown loose smut of barley, and loose smut of wheat **can not** be controlled by any known chemical seed treatment.

PARSONS SEED SAVER SLURRY CONCENTRATE "60" when properly diluted will dye seed red.

For treating seed grain use PARSONS SEED SAVER SLURRY CONCENTRATE "60" according to table on "Directions for use." It is important that slurry machine run a few minutes after dilution has been made. Suggest tripping pan by hand, allowing two cups to empty into machine before letting grain drop into treater. After flow of grain has been shut off (or batch run through), let machine operate a few seconds to empty remaining grain from treater into bag, then turn motor off. Always use fresh, clean water when making proper dilution.

**LABEL TREATED SEEDS** - red

Treated seeds should be plainly labeled or tagged as follows:

DISINFECTED SEED — POISONOUS TO ANIMAL AND MAN. DO NOT USE FOR FOOD, FEED OR OIL.

USDA REG. NO. 1969-57

1 GALLON

**PARSONS CHEMICAL WORKS, Inc.**  
Laboratories - Grand Ledge, Michigan

