



ACC



Carzol[®] SP

MITICIDE/INSECTICIDE

E.P.A. REG. NO. 2139-99

ACTIVE INGREDIENT:
 Formetanate hydrochloride* 92%

INERT INGREDIENTS: 8%

*N,N-dimethyl-N'-[3-[[[(methylamino)carbonyl]oxy] phenyl] methanimidamide monohydrochloride



POISON DANGER



KEEP OUT OF REACH OF CHILDREN

Not for use or storage in or around the home.
Call a physician immediately in case of exposure.

This product is poisonous if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe dust or spray mist. Do not contaminate food and feedstuffs. Wear protective clothing, goggles and rubber (natural or synthetic) gloves when

NOTE

To avoid excessive residues, observe the following limitations: CITRUS: Do not apply more than 5 lbs. CARZOL SP per acre in a 12 month period. Allow 30 days between applications and 7 days before harvest. APPLES, PEARS: Do not apply more than 4 lbs. CARZOL SP per acre in one crop season. Do not apply less than 7 days before harvest. PEACHES: Do not apply more than 2½ lbs. CARZOL SP per acre in one crop season. Do not apply less than 21 days before harvest. NECTARINES: Do not apply more than 4 lbs. per acre in one crop season. Do not apply less than 14 days before harvest. PLUMS, PRUNES: Do not apply more than 3 lbs. per acre in one crop season. Do not apply less than 7 days before harvest.

USE PRECAUTIONS

ALFALFA (seed crop only): Use this product only on pure stands of alfalfa to be harvested for seed. Do not allow spray to drift onto adjacent crops. Do not spray while bees are foraging. Do not allow livestock to graze treated fields. Do not use treated crops for livestock feed. Crop residues are not to be fed to livestock or baled for such use. Fields

ACTIVE INGREDIENT:
Formetanate hydrochloride* 92%

INERT INGREDIENTS: 8%

*N,N-dimethyl-N'-[3-[[[(methylamino)carbonyl]oxy] phenyl]
methanimidamide monohydrochloride



**POISON
DANGER**



KEEP OUT OF REACH OF CHILDREN

Not for use or storage in or around the home.
Call a physician immediately in case of exposure.

This product is poisonous if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe dust or spray mist. Do not contaminate food and feedstuffs. Wear protective clothing, goggles and rubber (natural or synthetic) gloves when handling this material. Wash before eating or smoking. Wash contaminated clothing before re-use.

If exposure to dust or spray mist cannot be avoided wear a self-contained breathing apparatus.

DO NOT REUSE THIS BAG. DESTROY WHEN EMPTY

ANTIDOTES:

If swallowed—give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have patient lie down and keep quiet. Call a physician immediately. If on skin—wash immediately with soap and water. If in eyes—flush with water for at least 15 minutes and get medical attention.

NOTICE TO PHYSICIAN:

CARZOL SP is a carbamate which acts as a cholinesterase inhibitor.

Specific antidote—Atropine.

Do not use 2-PAM.

See Rear and Side Panels For Additional Precautions and Directions For Use.

U.S. Pat. No's. Re. 27347—3542853

NET CONTENTS: 2 1/2 POUNDS



MANUFACTURED FOR
NOR-AM.
AGRICULTURAL PRODUCTS, INC.
CHICAGO, ILLINOIS 60606

acre in one crop season. Do not apply less than 7 days before harvest. PEACHES: Do not apply more than 2 1/2 lbs. CARZOL SP per acre in one crop season. Do not apply less than 21 days before harvest. NECTARINES: Do not apply more than 4 lbs. per acre in one crop season. Do not apply less than 14 days before harvest. PLUMS, PRUNES: Do not apply more than 3 lbs. per acre in one crop season. Do not apply less than 7 days before harvest.

USE PRECAUTIONS

ALFALFA (seed crop only): Use this product only on pure stands of alfalfa to be harvested for seed. Do not allow spray to drift onto adjacent crops. Do not spray while bees are foraging. Do not allow livestock to graze treated fields. Do not use treated crops for livestock feed. Crop residues are not to be fed to livestock or baled for such use. Fields treated with CARZOL SP must be cleared after harvest by burning or by disking into the soil. CARZOL SP does not control aphids. If aphids appear add an aphicide to the spray.

CITRUS: If brown soft scales are present in the grove, a suitable scaleicide should be applied after the CARZOL application.

DANGER

This product is toxic to birds and other wildlife. Do not contaminate any body of water with this material. Apply only as specified on this label. Dispose of left-over material or empty containers by burning or burying in non crop land away from water supplies. Stay out of smoke. Do not re-use container. CARZOL SP is moderately toxic to honey bees. Avoid using where bees are active. Do not allow animals to graze in orchard areas treated with CARZOL SP.

DOT 2D

BAG N. A. 1016