

DIRECTIONS FOR LIVESTOCK PEST CONTROL

For the control of stable flies, face flies, horn flies, house flies, lice, lone star ticks on dairy cattle, beef cattle, sheep, goats or hogs. Mix 1½ to 3 qts. Ciodrin Insecticide Emulsifiable Concentrate per 100 gal. of water. Spray to thoroughly cover all parts of the animal, using 2 to 4 qts. of Spray for large animals and proportionately less for smaller animals. Do not apply regularly to calves under six months of age. Brahman cattle should not be treated as they show hypersensitivity to organic phosphates.

Treatment of premises such as barn walls, eaves, fences and other breeding or resting places with above spray will aid in reducing the fly population in the area. Repeat above applications as necessary to maintain control but no more often than once weekly.

For control of lice and winter ticks on cattle in winter hair coat, mix 1½ pts. of Ciodrin Insecticide Emulsifiable Concentrate per 80 gallons of water. Spray animal thoroughly using 3 to 5 quarts of spray per large animal. Repeat applications as necessary to maintain control.

BACKRUBBER APPLICATIONS

For use in backrubbers or face rubbers for the control of horn flies and face flies, mix 1 gallon of Ciodrin Insecticide Emulsifiable Concentrate in 50 gallons backrubber base oil. This may be diesel fuel or a combination of diesel fuel and motor fuel in accordance with local recommendations.

NET CONTENTS ONE GALLON

18-1127



CIODRIN[®] INSECTICIDE
EMULSIFIABLE CONCENTRATE

(Contains 3.2 lbs. Ciodrin Insecticide Per Gallon)

ACTIVE INGREDIENTS	% By Weight
Dimethyl Phosphate of Alpha-Methylbenzyl	
3-Hydroxy-Cis-Crotonate	38.20
Petroleum Hydrocarbons	44.50
INERT INGREDIENTS	17.30
Total	100.00

WARNING

Keep out of reach of children
 See side panel for additional precautionary labeling

ACCEPTED
 1-23-68
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 1990165

COMMENTS

U.S.D.A. Reg. No. 1990-165

PRECAUTIONS IN USING

Do not contaminate feed or foodstuffs. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material. During commercial or prolonged exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type found suitable by the U.S. Department of Agriculture for protection against CIODRIN Insecticide. Use this material only for recommended purposes and at recommended Dosages.

WARNING! Hazardous if Swallowed, Inhaled, or Absorbed Through Skin. Wash thoroughly with soap and water after handling and before eating and smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Keep away from heat and open flame.

NOTICE OF WARRANTY

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

Manufactured for and Distributed by
FARMLAND INDUSTRIES
 KANSAS CITY, MISSOURI

ACCEPTED WITH COMMENTS