

C O - O P

ALFA-SIDE

Contains 2 pounds Methoxychlor and 2 pounds Malathion per gallon.


Active Ingredients:

Methoxychlor*	23.787%
Malathion (O,(-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate	23.807%
Xylene	43.51%
Inert Ingredients	8.896%
Total	100.00%

\*23.787 Methoxychlor, technical is equivalent to 20.814% 2,2-bis (P-Methoxy-Phenyl) 1, 1, 1-Trichloroethane and 2.973% other isomers and reaction products.

CAUTION! KEEP OUT OF REACH OF CHILDREN.

See side panel for additional precautionary labeling.



Manufactured for and distributed by  
FARMERS INDUSTRIES, INC.  
Kansas City, Missouri

Use with care

Notice of Hazard: When treated all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Avoid contact with eyes, nose, mouth, and skin. Avoid contact with clothing. Avoid contact with food, feed, or water. Avoid contact with children. Avoid contact with animals. Avoid contact with birds. Avoid contact with fish. Do not breathe dust. Avoid contact with skin. Wash thoroughly after using. Avoid contact with eyes, nose, mouth, and skin. Avoid contact with clothing. Avoid contact with food, feed, or water. Avoid contact with children. Avoid contact with animals. Avoid contact with birds. Avoid contact with fish. Do not breathe dust.

(Right Panel)

Second and subsequent cuttings: Apply 2 to 3 quarts Coop Alfa-Cide per acre to control alfalfa weevil, leafhopper and aphids as these insects appear. First cutting and apply 2 to 3 quarts Coop Alfa-Cide per acre to the stubble to control weevil larvae and aphids. In areas where weevil appear at cutting time, remove the stubble sprayer. Do not apply after full bloom. Do not apply when the weevil is small. Do not apply within 7 days of harvest. First cutting: Apply 2 to 3 quarts Coop Alfa-Cide per acre as soon as weevil damage appears in the field. Early application is desired to control alfalfa weevil, leafhopper, and aphids.

ALFA-CIDE