

Code 18-3850



STOCK-TOX
PLUS LINDANE

Controls certain insect pests quickly.
Protects against reinfestation.

ACTIVE INGREDIENTS:

Toxaphene (technical chlorinated camphene with 67% to 69% chlorine)	45%
Gamma isomers of benzene hexachloride from lindane	2%
Aliphatic petroleum solvent	43%
INERT INGREDIENTS	10%
TOTAL	100%

WARNING

KEEP OUT OF REACH OF CHILDREN.
See side panel for additional precautionary labeling.

DIRECTIONS FOR USE:

Cattle - ticks, hornflies, and lice - Accurately mix CO-OP Stock-Tox at the rate of 1 gallon to 140 gallons of water (1 quart to 35 gallons water) for complete control of ticks, hornflies, and lice present and protection against reinfestation. Thorough wetting of animals is essential for best results. Repeat applications as necessary.

Sheep and Goats - Lice and sheep ticks (keds) - Mix CO-OP Stock-Tox at the rate of 1 quart to 50 gallons of water. Thorough wetting is essential for best results. A single application is usually sufficient for control of the pests. Do not use on milk goats.

Lice on swine - Dilute CO-OP Stock-Tox at the rate of 1 gallon to 230 gallons of water (1 quart to 57 1/2 gallons water). Wet animals thoroughly. Repeat after 2 to 3 weeks if needed.

As a dip - For the control of insects shown on the above animals, use at same rate as spraying. Stir well just before using. Do not dip calves under 3 months of age.

Back rubbers - Mix 1 gallon of CO-OP Stock-Tox to 10 gallons of CO-OP Back Rubber Oil for use on beef cattle for control of hornflies and to aid in reduction of lice. Place rubber where animals congregate for best results such as salt licks, watering places, shade, etc. Do not allow dairy animals to use. Do not allow animals under six months of age to use back rubber charged with Stock-Tox.

Note: In spraying animals during fall and winter pick warm, sunny days and treat early enough that the animals will be dry before nightfall. Do not treat sick animals. Do not use on emaciated or dairy animals. Do not use on animals within 30 days of slaughter. Do not dip animals within 60 days of slaughter. Do not treat animals under three months of age. Do not treat sows within two weeks of farrowing nor for at least three weeks thereafter.

CONTENTS ONE GALLON

ACCEPTED
July 7, 1964
1960-316

Code 18-3850

U.S.D.A. Reg. No. 1990-346



STOCK-TOX PLUS LINDANE

Controls certain insect pests quickly.
Protects against reinfestation.

ACTIVE INGREDIENTS:	
Toxaphene (technical chlorinated camphene with 67% to 69% chlorine).....	45%
Gamma isomers of benzene hexachloride from lindane.....	2%
Aliphatic petroleum solvent.....	43%
INERT INGREDIENTS.....	10%
TOTAL.....	100%

WARNING

KEEP OUT OF REACH OF CHILDREN.

See side panel for additional precautionary labeling.

WARNING

MAY BE FATAL IF SWALLOWED

Do not get in eyes, on skin or clothing. Do not breathe mist from sprays. Use of respirator and goggles is advisable. Keep clothing free from residues. Wash thoroughly after using. Keep away from children, domestic animals and food.

Do not apply to dairy animals.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label.

IMPORTANT - Rinse spray equipment and containers and dispose of liquid wastes in a pit in noncrop lands located away from water supplies.

NONWARRANTY - Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

FARMLAND INDUSTRIES, INC.