




EPA Reg. No. 1992-170

Code 136506



**STOP! READ THE LABEL**

**POISON**  
See side panels  
for antidote  
and precautions



**DANGER**  
Keep out of reach  
of children

**CAN KILL YOU**

**METHYL PARATHION**  
**4 MISCIBLE**

ACTIVE INGREDIENTS	
O, O-Dimethyl O-p-nitrophenyl thiophosphate	45.64%
xylene base aromatic petroleum solvent	48.10%
INERT INGREDIENTS	6.26%
TOTAL	100.00%

Contains 4 pounds of Methyl Parathion per gallon

**BEFORE USING READ THE PRECAUTIONARY SAFE HANDLING  
DIRECTIONS ON SIDE PANELS.**

**NET CONTENTS: 55 GALLONS 208.175 LITERS**

**NOT F**

Apply when in-  
mended amou.  
coverage. Wit  
15 gallons of  
recommended  
of finished spr  
harvest as inc

ALFALFA (15).  
Apply when bl  
reach 25 per s  
star), leafhops  
increased to 2

ARTICHOKE :  
Aphids, armyw  
per acre. Do n

BEANS green  
(21), CABBAG  
myworms (up  
acre.

COTTON. Co:  
fleahopper, ly  
desert) - Use 3  
Cotton leaf per  
and as an aid  
acre. Do not h  
ing fields with  
For boll weev.

LETTUCE (21  
beetles, leath

SMALL GRAIN  
acre

This product i  
feeding in trea  
this label. Do  
weather cond:

This product  
on crops. Prot  
ricultural Exte

## NOT FOR HOME USE

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



### POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

### + FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

### POST TREATED AREA


Consult your State Agricultural Extension Service or Experimental Station regarding posting treated areas.

### CONTAINER DISPOSAL

See container disposal statement on right panel.

### CROP USE DIRECTIONS

See directions for use on right panel.



## DIRECTIONS FOR USE

### NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Apply when insects first appear and repeat as necessary. Apply the recommended amount of insecticide per acre in sufficient water to give thorough coverage. With ground application equipment, apply in a minimum of 10 to 15 gallons of water per acre. When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of 1 gallon of finished spray per acre. Observe days interval between last application and harvest as indicated in ( ) following the crop.

ALFALFA (15). CLOVER (15). VETCH (15): Alfalfa weevil - Use 1 pint per acre. Apply when buds and shoots first appear ragged or when larval counts first reach 25 per sweep. Spotted alfalfa aphid, aphids, armyworms (up to 3rd instar), leafhopper, Chlacid Fly - Use 1.2 to 2 pints per acre. Rates may be increased to 2 1/2 pints per acre if not applied within 20 days of harvest.

ARTICHOKE (7). CARROT (15). CELERY (15). PEAS (15). PEPPERS (15): Aphids, armyworms (up to 3rd instar), flea beetles, leafhoppers - Use 1 1/2 pints per acre. Do not use treated carrot tops for food or feed.

BEANS, green and lima (21), dry (15). BROCCOLI (21). BRUSSELS SPROUTS (21). CABBAGE (21). CAULIFLOWER (21). TOMATOES (15): Aphids, armyworms (up to 3rd instar), flea beetles, leafhoppers - Use 1 1/2 to 2 pints per acre.

COTTON: Cotton leafworm - Use 1/2 pint per acre. Boll weevil, cotton fleahopper, lygus and other mirids, thrips, spider mites (two-spotted and desert) - Use 3/4 to 1 pint per acre. Cotton aphid - Use 3/4 to 1 1/2 pints per acre. Cotton leaf perforator - Use 1 1/2 to 2 pints per acre. Stink bug, cabbage looper and as an aid in controlling armyworms (up to 3rd instar) - Use 2 pints per acre. Do not handpick or harvest within 7 days of application. Workers entering fields within 24 hours after application should wear protective clothing. For boll weevil, apply to foliage every 3 to 7 days to maintain control.

LETTUCE (21). SPINACH (21): Aphids, armyworms (up to 3rd instar), flea beetles, leafhoppers - Use 1 1/4 to 2 pints per acre.

SMALL GRAINS (15) - barley, oats, wheat. Aphids - Use 1.2 to 1 1/2 pints per acre.

### USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

FARMLAND INDUSTRIES, INC.

## CONTAINER DISPOSAL

Do not contaminate water by cleaning of equipment, or disposal of wastes. Rinse equipment and containers and DISPOSE OF WASTES by burying at least 18 inches deep in noncrop lands away from water supplies. Do not reuse container, smash or perforate and bury with wastes.

**DO NOT CONTAMINATE FEED OR FOODSTUFFS**  
**DO NOT USE IN UNDILUTED FORM**  
**DO NOT STORE BELOW 20° F.**

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**  
**KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.**

**DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NONCROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.**

**NOTICE OF WARRANTY:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.




### DANGER - POISON - PRECAUTIONS



#### POISONOUS IF SWALLOWED

This product can kill you if swallowed, even in small amounts. Spray mist or dust may be fatal if swallowed.



#### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



#### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

