1990-387

09/23/99



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number: 1990-387

Date of Issuance: SEP 2 3 1999

Term of Issuance: Unconditional

Name of Pesticide Product:

Rabon Oral Larvicide Block

NOTICE OF PESTICIDE:

Registration X Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Farmland Industries Inc.

PO Box 7305

Kansas City, MO 64116

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In ordto protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Documents, EPA has reregistered the product listed above. Enclosed is a copy of your label stamped "Accepted with Comments". This action is taken under the authority of section 4(g)(2) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

With regards to labeling, you must make the labeling changes listed below.

1) The correct chemical name for your product should be listed as the following, which is the more specific isomer designation (please revise your active ingredients accordingly):

Tetrachlorovinphos: (Z)-2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate

2) The signal word "CAUTION" and the "Keep Out of Reach of Children" statement must be moved to the front panel. The signal word must be placed below the "Keep Out of Reach of Children"

Signature of Approving Official:

SEP 2 3 1999

George T. LaRocca

LI A Total 6370-6	CONCURR	ENCES		
SYMBOL 750TC				
SURNAME) SPRIMT			}	}
DATE 9/23/99		*****		

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

3) Based upon the toxicity profile for this product, you must have a "Statement of Practical Treatment" or "First Aid" statement. It should be located under the Precautionary Statements section and state the following:

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

Your product is also required to have a "Note to Physician: section. This section should be located directly below your "Statement of Practical Treatment" section and should contain the following information:

- Technical information on symptomatology;
- Use of supportive measures to maintain life functions;
- Medicine that will counteract the specific physiological effects of the pesticide;
- Company telephone number to specific medical personnel who can provide specialized medical advice
- 4) Please revise your "Hazards to Humans" heading to read "Hazards to Humans and Domestic Animals". The following statements must appear on the label under this heading:

CAUTION

)

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and handlers must wear:

- 1) Long-sleeved shirt and long pants,
- 2) Chemical-resistant gloves
- 3) Shoes and socks

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before

removing. As soon as possible, wash thoroughly and change into clean clothing.

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

- 5) Delete "Drug" from the heading "Active Drug Ingredients". Also, add the word "Feed" to the heading "Ingredients", i.e., "Feed Ingredients" on the front panel.
- 6) Under your "Environmental Hazards" section, please change the statement "Do not contaminate water..." to read "Do not contaminate water when cleaning equipment or when disposing of equipment washwaters."
- Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosure

 \cdot)



RABON® ORAL LARVICIDE BLOCK

FOR CATTLE ON PASTURE

Control of fecal flies in manure of treated cattle, Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated

ACTIVE DRUG INGHEDIENT Tetrachlorvinphos: 2-Chloro-1-(2,4,5-Trichlorophenyl) Vinyl Dimethyl Phosphate
GUARANTEED ANALYSIS Calcium (Ca), not less than
0.15 = 10.5 = 20.5 = 20.5 = 20.5 = 20.5

COMINITIES ANALISIS				
Calcium (Ca), not less than				
Calci-rq (Ca), not more than				
Phc rus (P), not less than				
Salt (CI), not less than				
Salt (NaCl), not more than				
Potassium (K), not less than				
Copper (Cu), not less than				
Selenium (Se), not less than 6 ppm				
Zinc (Zn), not less than				
Vitamin A, Int. Units, min				
NCDCDIENTO				

INGREDIENTS Calcium Carbonate, Salt, Processed Grain By-Products, Dicalcium Phosphate, Monocalcium Phosphate, Molasses Products, Lignin Sulfonate, Iron Oxide, Vitamin A Supplement, Manganese Sulfate, Zinc Sulfate, Sodium Selenite, Manganous Oxide, Zinc Oxide, Copper Chloride, Ferrous Sulfate, Mineral Oil, Vitamin E Supplement, Copper Sulfate, D-Activated Animal Sterol (Source of Vitamin De), Ethylenediamine Dihydriodide, Cobalt Corbonates Sodium Silon Alexingte and Ethopoguia (A Presentate) Carbonate, Sodium Silico Aluminate and Ethoxyquin (a Preservative).

SEE DIRECTIONS FOR USE, CAUTION AND STORAGE/DISPOSAL ON BACK OF TAG

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid pathing dust. Wash thoroughly with soap and water after handling id before eating or smoking. If in eyas, wash with plenty of water, il imitation persists, get medical attention. Wear long-sleeved shirts and pants; chemical resistant gloves; shoes and socks for protection when handling. This product may cause skin sensitization reactions in certain individuals.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. Do not contaminate water when disposing of equipment wash water.

EPA Reg. No. 01990-387 EPA Eet. No. 01990-KS-01

Net Weight 50 Lb (22.67 kg) or Bulk

Manufactured by FARMLAND INDUSTRIES, INC. General Offices, Kansas City, MO 64116

81-71980 (Series 79KS)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- To be fed daily at the rate of .07 grams of larvicide in 0.5 ounce of block/100 lbs. of body weight. Example: 5 ozs. (approximately 1/3 lb) of block for a 1,000 lb. animal dally.
- 2. Provide at least one block per five head of cattle. (So fimid and smaller animals can get their share).
- 3. Place the blocks where animals congregate (loafing, grazing, feeding and
- watering area).
 4. Feed blocks continuously. Add one additional block when EACH block
- Feed blocks continuously. Add one additional block when EACH block has been ONE-HALF consumed.
 Do not feed saft or mineral supplements of any kind containing salt.
 For initial control of adult files, spray your cattle to reduce the existing population. The normal dally intake of CO-OP Rabon* Oral Larvicide Block will then prevent the development of new ity larvae in the manure of treated cattle. Because face files migrate, work with your neighbors to more effectively control the adult face fly population. This product is not effective against existing adult files. Supplemental fly control measures may be needed in and around lots and buildings to control adult house files and stable files which can breed not only in cattle manura but in other flies and stable flies which can breed not only in cartle manure but in other decaying vagetable matter or sliage on the premises. In order to achieve optimum fly control, CO-OP Rabon* Oral Larvicide Block should be used in conjunction with other good management and sanitation practices.

CAUTION KEEP OUT OF REACH OF CHILDREN

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container.

DISPOSAL: Completely empty conteiner into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal lecility.



81-71980 (Series 79KS)