

United States Environmental Protection Agency

Ms. Kelly Kraft, Registration Specialist
Land O'Lakes Farmland Feed, LLC
1080 County Road F, West
Shoreview, MN 55126-1910

OCT 20 2003

Subject: Re-submission of an revised basic formulation and label for Agency approval
Date: July 21, 2003
Product Name: Rabon Oral Larvacide Mineral Block
Registration Number: 1990-387

Dear Ms. Kraft,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. The Revised Basic Confidential Statement of Formula (CSF) is acceptable and has been placed in the regulatory file for the aforementioned product.
2. The label heading "PRECAUTIONARY STATEMENTS" must be moved down to the next section as a heading "PRECAUTIONARY STATEMENTS" directly above the statement "HAZARDS TO HUMANS AND DOMESTIC ANIMALS." For convenience, a hand scribed arrow was inserted on the label to identify the proper placement.


CONCURRENCES

SYMBOL ▶	H7505C							
SURNAME ▶	RGEBKEN							
DATE ▶	Oct 20, 2003							

3. Directly below the heading "FIRST AID" on a new line, insert the word "ORGANOPHOSPHATE"
4. Delete the "0" from the beginning of the registration number. It must be identified as "1990-387".

If you have any questions, please contact Richard J. Gebken @ (703) 305-6701.

Sincerely,



George LaRocca
Product Manager 03
Insecticide Branch
Registration Division (7505C)

RABON® ORAL LARVICIDE BLOCK FOR CATTLE ON PASTURE

Control of fecal flies in manure of treated cattle.
Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT

Tetrachlorvinphos: (Z) 2-Chloro-1-(2,4,5-Trichlorophenyl)	
Vinyl Dimethyl Phosphate	0.463%
INERT INGREDIENTS*	99.537%

*Refers only to ingredients which are not Insecticidal

GUARANTEED ANALYSIS

Crude Protein, (Min)	7.5%
Calcium (Ca), (Min)	11.0%
Calcium (Ca), (Max)	13.0%
Phosphorus (P), (Min)	4.0%
Salt (NaCl), (Min)	18.0%
Salt (NaCl), (Max)	21.0%
Magnesium (Mg), (Min)	0.2%
Cobalt (Co), ppm, (Min)	7
Copper (Cu) ppm, (Min)	650
Iodine (I), ppm, (Min)	44
Manganese (Mn) ppm, (Min)	2,000
Selenium (Se) ppm, (Min)	6
Zinc (Zn), ppm, (Min)	2,100
Vitamin A, Int. Units/lb. (Min)	60,000
Vitamin D ₃ , Int. Units/lb. (Min)	12,000
Vitamin E, Int. Units/lb. (Min)	45

FEED INGREDIENTS

Calcium Carbonate, Salt, Processed Grain By-Products, Dicalcium Phosphate, Monocalcium Phosphate, Molasses Products, Lignin Sulfonate, Iron Oxide, Vitamin A Supplement, Manganese Sulfate, Zinc Sulfate, Sodium Selenite, Manganous Oxide, Zinc Oxide, Copper Chloride, Ferrous Sulfate, Mineral Oil, Vitamin E Supplement, Copper Sulfate, D-Activated Animal Sterol (Source of Vitamin D₃), Ethylenediamine Dihydrochloride, Cobalt Carbonate, Sodium Silico Aluminate and Ethoxyquin (a Preservative)

SEE DIRECTIONS FOR USE, CAUTION AND STORAGE/DISPOSAL ON BACK OF TAG

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 01990-387
EPA Est. No. 01990-KS-01

1990093KS

Net Weight 40 Lb
(18.14 kg) or Bulk

Manufactured by
LAND O' LAKES FARMLAND FEED, LLC
SHCREVIEW, MN 55126

81-71980 (Series 89 KS)

.....
.....
.....
.....

ACCEPTED
with COMMENTS
In EPA Letter Dated

OCT 20 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1990-387

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- To be fed daily at the rate of .07 grams of larvicide in 0.5 ounce of block/100 lbs. of body weight. Example: 5 oz. (approximately 1/3 lb) of block for a 1,000 lb. animal daily.
- Provide at least one block per five head of cattle. (So timid and smaller animals can get their share).
- Place the blocks where animals congregate (loafing, grazing, feeding and watering areas).
- Feed blocks continuously. Add one additional block when each block has been ONE-HALF consumed.
- Do not feed salt or mineral supplements of any kind containing salt.
- For initial control of adult flies, spray your cattle to reduce the existing population. The normal daily intake of Rabon® Oral Larvicide Block will then prevent the development of new fly larvae in the manure of treated cattle. Because face flies migrate, work with your neighbors to more effectively control the adult face fly population. This product is not effective against existing adult flies. Supplemental fly control measures may be needed in and around lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises. In order to achieve optimum fly control, Rabon® Oral Larvicide Block should be used in conjunction with other good management and sanitation practices.

PRECAUTIONARY STATEMENTS

FIRST AID:

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

If signs of cholinesterase inhibition are observed, atropine by injection is antidotal and may be administered in conjunction with 2-PAM (Pralidoxime Chloride). Product may cause aspiration pneumonia. Gastric lavage may be indicated if product was taken internally.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- 1) Long-sleeved shirt and long pants
- 2) Chemical-resistant gloves
- 3) Shoes and socks

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when cleaning equipment or when disposing of equipment wash waters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a dry place in original container

DISPOSAL: Completely empty container into application mixer/trailer equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

81-71980 (Series 89 KS)