Pront Panel

GCOD-WAY FOTENONE CARDEN DUST OR SPRAY

Contains 1.50% Potenone

ACPIVE INGREDIENT	rs:				
Rotenone		 	 	1.50	ď
Other Cube Resi	ins	 		3.00	7
INERT INGREDIENTS	Š:		 	95.50	Z
				100.00	

CAUTTON

(18 Pt. Type) (5-1/2" x 6-1/8")

KEEP OUT OF REACH OF CHILDREN


(12 Pt. Type)

SHE BACK PANEL FOR PRECAUTIONARY STATEMENT AND USE DIRECTIONS

THE WILLIAM

ONE POUNDS

Fanufactured for GOOD-WAY INSECTICIE, INC. Wheeling, Illinois



DEC 1 9 1966

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO 2004-36 SUBJECT TO ATTACHED COMMENTS.

SIDE APANEL

GOOD-WAY ROTENONE GARDEN DUST OR SPRAY

Contains 1.50% Rotenone

USES

Rotenone Dust may be used on beans, cabbare, cauliflower, currant, cucumber, relon, and many other vegetables, flowers, ornamentals, and vines. Gives excellent control of a wide variety of insects including Mexican bean beetle, bean leaf beetle, certain aphids (plant lice), cabbare worm, spittle burs, sawfly larvae, raspberry fruitworm, white fly and asparagus beetles.

DIRECTIONS

Sift from the shaker top carton or better still apply with a dust gun. Dust plants thoroughly, covering both upper and lower sides of foliage, covering all insects to be controlled. Make repeat applications weekly to cover new growth or until the pests are under control.

TO USE AS A SPRAY: One cup of Fotenone Fust and enough water to make a thin paste. Fix thoroughly so paste is smooth and free of lumps. Then add sufficient water to make one gallon of spray. Stir until thoroughly mixed and apply with efficient sprayer. Spray to cover both upper and lower surfaces of leaves and stems. Best results are obtained by occasionally agitating spray while applying.

Potenone Dust when used as directed may be used to within one day of harvest on edible portions of fruits and vegetables. Fotenone Dust will not injure tender plant foliame.

CAUTION

Do not apply to food crops within one day of harvest. Remove residue by washing or brushing.

Another product of GOOD_WAY INSTCTICTIE, Dic.
WHIFELING, ILLIPOUS

USDA Fer. No. 2006-36