WARNING


Do not contaminate water. feed or foodstuffs. May be fatal if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention. ATROPINE IS ANTIDOTAL. This product is toxic to fish. Keep out of any body of water.

Do not reuse empty container. Destroy by burying in a safe place.



DIRECTIONS FOR USE

FOR DAIRY CATTLE, BEEF ANIMALS: To protect dairy and beef animals from face flies, house flies, horn flies, stable flies, mosquitoes and gnats, spray the animals daily using 1 to 2 ounces of this product per head. Cover the animals with spray with particular attention to back, flanks, and legs. Do not soak the skin or wet the hide. Experience indicates that two applications of 1 ounce of this product morning and night give outstanding control of the above pests. This product may be applied as a mist spray with a hand or automatic sprayer. Do not apply in excess of 2 fluid ounces per animal per day. When a barn fogger is used, fog 1 pint per 8,000 cubic feet of enclosure (40' length x 20' width x 10' height) for controlling flies, mosquitoes and gnats. Let fog settle before milking. DO NOT use this sohave received direct application within 8 hours.



DIRECTIONS FOR USE

SUPPLEMENTAL DIRECTIONS: By diluting one part Good-Way Vapona Insecticide Dairy and Cattle Spray with one part of fuel oil, diesel oil or kerosene and applying as a coarse spray (sprinkling can an inexpensive contact and vapor spray is obtained to control flies, gnats, mosquitoes, roaches, ants, fleas, sowbugs and brown dog ticks. Apply this dilute solution as a coarse, wet spray at the rate of one quart per 1,000 square feet. For milk sheds, stables, livestock barns, loafing sheds, p'g pens and outdoor areas, treat around doorways, feed storage rooms, alleyways and window sills. Do not contaminate milk or milk handling equipment. In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

DOG KENNELS: In treating dog kennels, apply to outside of dog runways, window sills and ledges. For control of fleas and brown dog ticks, apply 2 quarts of this diluted solution per 1,000 square feet of area.


FLY MAGGOTS: To control fly maggots in maggot-breeding areas, such as garbage dumps and manure piles, apply one to two quarts of dilute solution per 100 square feet of area.

OUTDOOR AREAS: To treat outdoor living areas, picnic grounds, paties, loading docks, outdoor latrines, parking areas, refuse areas, around service stations, open-air drive-ins, ice cream stands, garbage collection and disposal areas for controlling flies, mosquitoes and gnats, use 1 quart of diluted solution per 1,000 square feet.

U.S. D.A. REG. NO. 2006-38

MANUFACTURED BY

GOOD-WAY INSECTICIDE, INC.



WARNING

The second of the second of the second water the second of the second water the second of the second water the second of the sec

en de la companya de la co

•

DIRECTIONS FOR USE

FOR EARLY CATTLE BLEE ANIMALS



NET CONTENTS

ONE GALLON